



For the Account of: Kvadrat A/S  
Lundbergsvej 10  
DK-8400 Ebeltøft



Date of Issue: 3/4/2025  
Report Number: 25-000579  
Revision Number: 1  
Date Order Received: 03/03/2025

Client's Identification: DIVINA  
Alta DWR Drapery

## CERTIFICATE OF TESTING

**TEST PERFORMED:** Flame Tests of Flame-Resistant Fabrics and Film CAN/ULC S109-14(R2024) folded testing method

### TEST RESULTS

Small Flame Test	Specimen	After Flame (s)	Flaming Drip (s)	Char Length (mm)
	1	0.0	0.0	37
	2	0.0	0.0	42
	3	0.0	0.0	41
	4	0.0	0.0	39
	5	0.0	0.0	44
	6	0.0	0.0	50
	7	0.0	0.0	47
	8	0.0	0.0	50
	9	0.0	0.0	44
	10	0.0	0.0	49
	Average	0.0	0.0	44

  

Large Flame Test	Specimen	After Flame (s)	Flaming Drip (s)	Char Length (mm)
	1	0.0	0	89
	2	0.0	2	97
	3	0.0	0	102
	4	0.0	0	99

**Approximate weight (oz./sq. yd):** 708

### Tested:

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Initially | <input type="checkbox"/> After water leaching         |
| <input type="checkbox"/> After laundering     | <input type="checkbox"/> After scrubbing              |
| <input type="checkbox"/> After dry cleaning   | <input type="checkbox"/> After accelerated weathering |

### ACCEPTANCE CRITERIA

#### Small Flame Test:

- Portions or residue of the material (flaming drip) which break or drip from the test specimens shall not continue to flame for more than 2 seconds on the floor of the test cabinet
- The vertical spread of the flame and afterglow on the material as indicated by the damaged length (char length) shall not exceed:
  - Maximum Average Length: 165mm (6.5 inches)
  - Maximum Individual Length: 190mm (7.5 inches)

#### Large Flame Test:

- Portions or residues of the material (flaming drip) which break or drip from the test specimens shall not continue to flame for more than 2 seconds on the floor beneath the test enclosure
- The surface spread of flame shall not exceed 635mm (25 inches) above the tip of the test flame in folded specimens and 250mm (10 inches) in flat specimens.

**CONCLUSION** Based on the above Results and Acceptance Criteria, the item tested :

☒ Complies

☐ Does Not Comply

**CERTIFICATION** I certify that the above results were obtained after testing specimen in accordance with the procedures and equipment specified by the standard stated above.

Berta Stiver

Authorized Signature

Date Order Completed: 03/04/2025