
Gonzen Colour 100

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 45% Solar Reflection 50% Solar Absorption 5%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 19%
Total Light Transmission 36%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 0
Visual contact with the outside Class 0

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free










Gonzen Colour 120

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 23% Solar Reflection 26% Solar Absorption 49%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 25%
Total Light Transmission 17%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 0
Visual contact with the outside Class 0

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free










Gonzen Colour 160

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 12% Solar Reflection 13% Solar Absorption 73%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 28%
Total Light Transmission 8%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 0
Visual contact with the outside Class 1

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free









Gonzen Colour 190

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 4%
Solar Reflection 4%
Solar Absorption 92%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 30%
Total Light Transmission 2%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 1
Visual contact with the outside Class 2

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free










Gonzen Colour 220

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 32% Solar Reflection 47% Solar Absorption 19%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 21%
Total Light Transmission 26%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 0
Visual contact with the outside Class 0

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free










Gonzen Colour 260

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission	14%
Solar Reflection	24%
Solar Absorption	58%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 27%
Total Light Transmission 10%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 0
Visual contact with the outside Class 1

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free









Gonzen Colour 560

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 5%
Solar Reflection 19%
Solar Absorption 69%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 29%
Total Light Transmission 4%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 1
Visual contact with the outside Class 2

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free










Gonzen Colour 760

Design: Alfredo Häberli



Product description

Gonzen by Alfredo Häberli has a sophisticated woollen expression, reminiscent of fine tailoring. It offers a semi-open view outside and gives warm atmosphere to the room. Colours range from neutrals to warm and indigo tones.

Application: Roller blind Composition: 100% Trevira CS

Openness factor: 4%

Width: 300 cm (118 inches)

Weight: 180 g/m² Thickness: 0.5 mm

Warranty

The textile comes with a 5 years product guarantee and complies with all the relevant legislation, regulations and standards. Improper cleaning, outdoor use, treatment with chemically aggressive agents, and external influences (incl. damage, insects, polluted condensation) do not fall within the scope of the warranty.

Care

Please see the ISO symbols. Clean with a dry or moist wrung cloth. Only use clean water. Can also be brushed or carefully vacuumed (reduce suction power) with a brush nozzle. In case of considerable staining, we recommend contacting a professional dry cleaner.

Flame resistance

BS5867 part 2 type B DIN 4102 B1 EN 13773 class 1 IMO FTP Code 2010: part 7 NF P 92507 M1 NFPA 701

Solar optical properties (EN 14500:2021)

Visual Light Transmission 5% Solar Reflection 14% Solar Absorption 76%

Thermal performance

(EN 14501:2021, based on reference glazing G)

G-value (SHGC) in %: 28%
Total Light Transmission 4%
U-value 0.84

Classifications for Visual comfort (EN 14501:2021)

Glare control Class 1
Visual contact with the outside Class 2

Lightfastness

6-7 (ISO105-B02)

Sustainability

Certificates:

GREENGUARD Gold

Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

PVC free







