### Rumor by Febrik by Kvadrat A/S

HPD UNIQUE IDENTIFIER: 3939470209024 CLASSIFICATION: 12 05 13 Fabrics PRODUCT DESCRIPTION: Rumor is an upholstery textile used for interior and design.

# Section 1: Summary

## CONTENT INVENTORY

- Inventory Reporting Format O Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- C Material
- Product
- Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS

O Other

Residuals/Impurities Evaluation

Completed
 Partially Completed
 Not Completed

Explanation(s) provided : • Yes • No

## **Basic Method / Product Threshold**

For all contents above the threshold, the	manufacturer has:
Characterized	⊙ Yes ⊖ No
Provided weight and role.	
Screened	• Yes • No
Provided screening results using HPDC-	approved
methods.	
Identified	• Yes • No
Provided name and CAS RN or other ide	ntifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

RUMOR BY FEBRIK [ POLYETHYLENE TEREPHTHALATE (PET) LT-P1 POLYETHYLENE TEREPHTHALATE (PET) LT-P1 NYLON-66 LT-UNK NEW WOOL ]

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

: ISO 9001:2015 Quality management systems

: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	
© Yes	
No	

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2024-01-16 PUBLISHED DATE: 2024-01-16 EXPIRY DATE: 2027-01-16 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### **RUMOR BY FEBRIK**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://www.kvadrat.dk/en/products/upholstery/13032-rumor

#### POLYETHYLENE TEREPHTHALATE (PET) ID: 25038-59-9 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-16 3:42:21 %: 60.0000 GreenScreen: LT-P1 RC: PostC NANO: No SUBSTANCE ROLE: Textile component HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists SUBSTANCE NOTES: The composition contains 60% Post consumer recycled polyester filling. The recycled polyester filling is made from 100% Post consumer plastic bottles.

NEW WOOL				ID: Biological Material
HAZARD DATA SO	URCE: HPDC Special Conditions Policy	/		
%: <b>21.0000</b>	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Textile component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	Hazard Screening	is not applicable to	this Special Conditi	on
BIOLOGICAL MA	FERIALS CATEGORY: Animal-based mater	rials		
INGREDIENT DES	SCRIPTION: Wool			

MATERIAL CONTENT NOTES: Wool cannot be identified by CAS RN# as it has none. Benefits of wool: Wool is a renewable resource, Wool is very comfortable because of its ability to absorb/give off humidity, Wool is flame retardant, Wool is biodegradable, Wool is naturally soil resistant, Wool ages with grace.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

#### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-16 3:43:26				
%: <b>12.0000</b>	GreenScreen: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			Nov	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	٧
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The material is 100% post-consumer recycled polyester from plastic bottles.

NYLON-66					ID: 32131-17-2
HAZARD DATA SC	OURCE: Phar	os Chemical and Materials Librar	у	HAZAF	RD SCREENING DATE: 2024-01-16 1:29:56
%: <b>7.0000</b>	GreenSci	een: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
None found				No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LIS	TINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found					No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://www.kvadrat.dk/en/products/upholstery/13032-ru	ISSUE DATE: 2023-11-30 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment		
CERTIFICATION AND COMPLIANCE NOTES: As the O	Greenguard certification is renewed annually there h	nas not been set an expiry date.		
MANAGEMENT	EMENT ISO 9001:2015 Quality management systems			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2015-02-23 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: BSI Group The Netherlands B.V.		
CERTIFICATION AND COMPLIANCE NOTES: Certifica	ate is renewed every third year.			
MULTI-ATTRIBUTE		REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: https://echa.europa.eu/	ISSUE DATE: 2007-06-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None		
CERTIFICATION AND COMPLIANCE NOTES:				

## 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Test Results for Rumor: DURABILITY: 100,000 Martindale EN ISO 12947. PILLING: 4-5 (ISO 1-5) EN ISO 12945. LIGHTFASTNESS: 6 (ISO 1-8) ISO 105-B02. FIRE TESTS: US Cal. Bull. 117-2013, EN 1021-1/2, AS/NZS 3837 class 1, IMO FTP Code 2010 Part 8, BS 5852 part 1, UNI 9175 1IM, BS 5852 crib 5 with treatment, ASTM E84 Class A Unadhered. AIRFLOW: 360 Pa s/m EN ISO 9053-1. ABSORPTION: 0.70/Class C (Absorption flat)

#### MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat A/S ADDRESS: Lundbergsvej 10 Ebeltoft, Syddjurs 8400 COUNTRY: Denmark WEBSITE: https://www.kvadrat.dk/en CONTACT NAME: Sophia Bendix TITLE: Technical Assistant PHONE: 89531469 EMAIL: sofb@kvadrat.dk

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

Hazard Types AQU Aquatic toxicity

GreenScreen (GS)

CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator<sup>TM</sup>, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.