

Test Report

Report Number:
205120-1-TEX



**DANISH
TECHNOLOGICAL
INSTITUTE**

Gregersensvej 1
DK-2630 Taastrup
+45 72 20 20 00
info@teknologisk.dk
www.teknologisk.dk

Page 1 of 5
Init.: CHF/LELN
Order no.: 205120
Encl.: 0

Assignor: KVADRAT A/S, Lundbergsvej 10, DK-8400 Ebeltøft

Material: Sample of upholstery fabric designated Azure Outdoor. See page 2 for detailed sample description.

Sampling: The assignor confirms having selected the product. The product was forwarded by the assignor and received at Danish Technological Institute on 6 July 2023.

Period: The test took place from 6 July 2023 to 27 July 2023.

Method: The test methods used are referenced in connection with the results. See page 5.

Test results: The results are shown from page 5 onwards.

Terms: This test was conducted accredited in accordance with international requirements (ISO/IEC 17025:2017) and in accordance with the General Terms and Conditions of Danish Technological Institute. The test results solely apply to the tested item. This test report may be quoted in extract only if Danish Technological Institute has granted its written consent.

Place: Danish Technological Institute, Taastrup, Environmental Technology

Signature: This document is only valid with a digital signature from Danish Technological Institute. The date of issue appears from the digital signature.

Charlotte Fischer
Senior Consultant









DANAK

TEST Reg.no. 2









Samples

Sample mark	Description	Photo
394	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
204	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
214	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
454	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
984	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
924	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	





Samples (continued)

Sample mark	Description	Photo
674	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
704	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
754	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
794	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
104	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
124	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	



Samples (*continued*)

Sample mark	Description	Photo
344	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	
324	Sample of upholstery fabric. Designated Azure Outdoor Fibercontent: 97% recycled polyester, 3% polyester	



Results

Test of Sample of upholstery fabric designated Azure Outdoor

Colour fastness to artificial light: Xenon arc fading lamp test

EN ISO 105-B02:2014 Method 2

1-8 scale, 8 best rating

Test apparatus: Atlas Ci4000 Xenon Weather-Ometer

Sample mark	Colour fastness
394	7
204	7
214	6-7
454	7
984	7
924	6-7
674	7
704	6-7
754	7
794	7
104	7
124	7
344	7
324	6-7
