

Confidential Report

Our Ref: 23/59388H2/02/22





Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : <u>www.bttg.co.uk</u>

Date: 1 March 2022

Our Ref: 23/59388H2/02/22

Your Ref: ---

Page: 1 of 5

Client: Kvadrat A/S

Lundbergsvej 10 8400 Ebeltoft Denmark

Job Title: Fire Test on One Fabric Sample

Clients Order Ref: 0362415

Date of Receipt: 17 February 2022

Date Test Started: 1 March 2022

Description of Sample: One sample of fabric, which was referenced by the client as;

Hallingdal 65 0130

Work Requested: We were asked to make the following fire test:

BS 7176: 2007 + A1:2011 (Low Hazard)

- subcontracted test, UKAS accredited
- ** subcontracted test, EN ISO/IEC 17025 accredited
- *** not UKAS accredited

Note: This report relates only to the samples submitted and as described in the report.

Shirley® Technologies Limited. Registered Office: Wira House, West Park Ring Road, Leeds, LS16 6QL.

A company registered in England & Wales with company number 04669651. VAT Number GB 816764800.

BTTG™ and Shirley® are trade names of Shirley Technologies Ltd.

The supply of all goods and services is subject to our standard terms of business, copies of which are available on request.

Our laboratories are accredited to EN ISO/IEC 17025.





Page:

Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : www.bttg.co.uk

Date: 1 March 2022

Our Ref: 23/59388H2/02/22 Your Ref: ---

2 of 5

Client: Kvadrat A/S

Specification BS 7176: 2007 + A1:2011 Resistance to Ignition of Upholstered Furniture for non-domestic seating by testing composites using BS EN 1021:2006 Furniture – Assessment of the ignitability of upholstered furniture Parts 1 and 2 (Low Hazard).

Pre-Treatment

The material received no pre-treatment as the fabric is stated not to be FR treated.

Conditioning

The materials for testing to Source 0 and 1 were conditioned and tested in the environments specified in Clause 7 of BS EN 1021:2006.

Foam Used

The sample was tested over Non FR polyurethane foam with a density of approximately 20-22kg/m³.





Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : www.bttg.co.uk

Date: 1 March 2022

Our Ref: 23/59388H2/02/22 Your Ref: ---

Page: 3 of 5

Client: Kvadrat A/S

Testing to BS EN 1021-1:2006 – Source 0 – Cigarette

The sample was tested in accordance with BS EN 1021-1:2006. The sample was tested over Non FR polyurethane foam with a density of approximately 20-22kg/m³.

The test results relate only to the ignitability of the combustion of upholstery composites under the particular conditions of test stated, they are not intended as a means of assessing he full potential fire hazard of the materials of products in use.

Results

Smouldering criteria	Specimen No.	
	1	2
Unsafe escalating combustion	No	No
Testing assembly consumed	No	No
Smoulders to extremities/full thickness	No	No
Smoulders more than 1 hour	No	No
In final examination, presence of progressive	No	No
smouldering		

Flaming criteria	1	2
Occurrence of flames	No	No
Specimen Result (Ignition or Non-ignition)	Non-Ignition (NI)	Non-Ignition (NI)

Any "Yes" in smouldering or flaming criteria means Ignition

Cigarette Test Result PASS





Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : <u>www.bttg.co.uk</u>

Date: 1 March 2022

Our Ref: 23/59388H2/02/22 Your Ref: ---

Page: 4 of 5

Client: Kvadrat A/S

BS EN 1021-2: 2006 – Source 1 – Butane Flame (Match)

The sample was tested in accordance with BS EN 1021-2:2006. The sample was tested over Non FR polyurethane foam with a density of approximately 20-22kg/m³.

The test results relate only to the ignitability of the combustion of upholstery composites under the particular conditions of test stated, they are not intended as a means of assessing he full potential fire hazard of the materials of products in use.

Results

	Specimen No.	
Smouldering criteria	1	2
Unsafe escalating combustion	No	No
Testing assembly consumed	No	No
Smoulders to extremities/full thickness	No	No
Smoulders more than 1 hour	No	No
In final examination, presence of	No	No
progressive smouldering		

Flaming criteria	1	2
Unsafe escalating combustion	No	No
Testing assembly consumed	No	No
Flames to extremities/full thickness	No	No
Flames longer than 120 seconds	No	No
Specimen Result	NI	NI
Ignition (I) / Non Ignition (NI)		141

Any "Yes" in smouldering or flaming criteria means Ignition

Match Test Result PASS





Telephone: +44 (0) 113 259 1999

Email: <u>info@bttg.co.uk</u> : <u>www.bttg.co.uk</u>

Date: 1 March 2022

Our Ref: 23/59388H2/02/22 Your Ref: ---

Page: 5 of 5

Client: Kvadrat A/S

Conclusion

The combination of materials meets BS 7176:2007+A1:2011 for Low Hazard.

See BS 7176: 2007 + A1: 2011 Clause 6 for labelling and identification requirements. The test results relate only to the ignitability of the combination of upholstery composites under the particular conditions of test stated (BS EN 1021-1: 2006, BS EN 1021-2: 2006 and BS 5852: 2006 respectively); they are not intended as a means of assessing the full potential fire hazard of the materials or products in use.

An estimation of uncertainty of measurement has been taken into account when making a judgment to any pass/fail criteria. Under our Policy we have used a non-binary decision rule.

See our Decision rules Policy (http://www.bttg.co.uk/decision-rules-policy) for further information.

Uncertainty Budget

Measurements: ±2mm
Timings: ±2 seconds.

Reported by: B Bland, Technical Customer Services Officer

Countersigned by:...... P Doherty, Manager

Enquiries concerning this report should be addressed to Customer Services.

