Sonar 3 by Kvadrat A/S

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21820 CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Sonar 3 is an upholstery textile used for interior and design.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- Per GHS SDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

⊙ Yes Ex/SC **○** Yes **○** No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

Yes Ex/SC ○ Yes ○ No.

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SONAR 3 [SC:WOOL Not Screened CELLULOSE, MICROCRYSTALLINE

LT-UNK | RES SC:LINEN Not Screened NYLON 6,6 LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of

Management: ISO 14001:2015 Environmental management systems Management: ISO 9001:2015 Quality management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2020-09-24 PUBLISHED DATE: 2020-09-24 EXPIRY DATE: 2023-09-24



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SONAR 3

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: The residuals/impurities have not been considered as there by our requirements have not been used substances of concern and the textile is produced with a high focus on sustainability in all its processes. The textile follow the EU Ecolabel dye restrictions incl. AZO dye and heavy metal restrictions. No content of formaldehyde. Complies with REACH regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://kvadrat.dk/products/7828

SC:WOOL			ID: SC:Bio
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-24	
%: 59.0000	GS: Not Screened	RC: None NANO: No SUBSTANCE ROLE: Textile co	mponent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Animal-based materials

Identifier: Wool

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological

Wool cannot be identified by CAS RN# as it has none. Benefits of wool: Wool is a renewable resource, Wool is very comfortable because of its ability to absorb/give off humidity, Wool is flame retardant, Wool is biodegradable, Wool is naturally soil resistant, Wool ages with grace.

CELLULOSE, MICROCRYSTALLINE				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-24		
%: 25.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Textile component		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: The composition is 25% viscose. Cellulose as main component of the fiber itself is not combined with any hazards. Due to the CAS no. a potential hazard is noted in the generic data system. However, this case, there is no TiO2 contained in the fibers. Dulling agent are not spun into this yarn or textile fiber. Therefore the noted hazard is not connected to this specific yarn.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-24

RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SUBSTANCE NOTES:

SC:LINEN

Version: SCBioMats/2018-02-23 Category: Plant-based materials

Identifier: Linen

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Linen cannot be identified by CAS RN# through the given tool as it has none.

Hazard Screening not performed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-24

MEDIANA SCREENING DATE: 2020-09-24

MED

POLYETHYLENE TEREPHTHALATE (PET)				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-24		
%: 2.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Textile component		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

ID: SC:Bio



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2007-

EXPIRY DATE:

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Building materials, finishes and

06-06

Environment

furnishings. CERTIFICATE URL:

https://static.kvadrat.dk/assets/pdf/collection/greenguard-gold/a4/ggg-7828-sgreenguard-certificate.pdf

certification and compliance notes: As the Greenguard certification is renewed annually there has not been set an expiry date.

MULTI-ATTRIBUTE

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2007-

EXPIRY DATE:

CERTIFIER OR LAB: none

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://echa.europa.eu/

CERTIFICATION AND COMPLIANCE NOTES:

MANAGEMENT

ISO 14001:2015 Environmental management systems

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Dovre

APPLICABLE FACILITIES: All

11-27

06-01

Certification AS

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.

MANAGEMENT

ISO 9001:2015 Quality management systems

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Dovre

APPLICABLE FACILITIES: All

11-27

Certification AS

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Test results for Sonar 3: Abrasion: App. 20.000 rubs acc. to the Martindale method, EN ISO 12947. Pilling: Note 3-4, EN ISO 12945. Lightfastness: Note 6-7, ISO 105-B02. Flameresistance: BS 5852 crib 5 (if FR treated), BS 5852 part 1, EN 1021-1/2, DIN 4120 B2, IMO FTP Code 2010: Part 8, UNI 9175 1IM, US Cal. Bull. 117-2013 US.				
Sonar 2				

MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat A/S ADDRESS: Lundbergsvej 10

Ebeltoft Syddjurs 8400, Denmark

WEBSITE: https://kvadrat.dk/

CONTACT NAME: Johanne Villumsen
TITLE: Technical Manager

PHONE: +86 13162157990 EMAIL: jovi@kvadrat.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.