



QS - CERTIFICATE OF ASSESSMENT - EC (MODULE D)

Certificate No:
MEDD00000FW
Revision No:
5

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV AS under the authority of the Government of Norway.

This is to certify:

That the Quality System for the products

with type designation(s) as specified in the Appendix to this Certificate

Issued to

Kvadrat A/S
Ebeltoft, Midtjylland, Denmark

is found to comply with the applicable requirements.


The quality system has been assessed with respect to the procedure of conformity assessment described in Annex II, Module D in the directive 2014/90/EU and regulation (EU) 2020/1170.

This Certificate is valid until **2024-08-29**.

Issued at **Høvik** on **2021-04-06**

DNV local station:
Denmark CMC

Approval Engineer:
Nanna Martine Jacobsen



Notified Body
No.: **0575**



for **DNV AS**
Digitally Signed By: Hoff, Øyvind
Location: DNV Høvik, Norway
on behalf of

Roald Vårheim
Head of Notified Body

The manufacturer is allowed to affix the U.S. Coast Guard approval number(s) as stated in the appendix attached hereto and as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005, and amended by Decision No 1/2019 dated February 22nd, 2019.



0575/yyyy

0575: Notified Body number undertaking quality surveillance
yyyy: The year in which the mark is affixed



The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.
This certificate authorizes the manufacturer in conjunction with the valid EC Type Examination (Module B) Certificate(s) of the equipment listed before to affix the Mark of Conformity (wheelmark) to the product described herein.
This certificate loses its validity if the manufacturer makes any changes to the approved quality system which have not been notified to and agreed with the notified body named on this certificate.
This certificate remains valid unless suspended, withdrawn, recalled or cancelled.
The Manufacturer has to apply for periodical audits to verify the maintenance and application of the quality system every 12 months.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



APPENDIX

Item no. MED/3.18a Surface materials and floor coverings with low flame-spread characteristics: decorative veneers

| Type designation | EC Type-Examination Certificate No. | Expiry date | Notified Body No. | USCG approval number |
|----------------------------|-------------------------------------|-------------|-------------------|-----------------------------|
| Wallcoverings ¹ | MEDB00002E1 Rev.1 | 2022-05-15 | 0575 | 164.112/EC0575 /MEDB00002E1 |

Item no. MED/3.19 Draperies, curtains and other suspended textile materials and films

| Type designation | EC Type-Examination Certificate No. | Expiry date | Notified Body No. | USCG approval number |
|--|-------------------------------------|-------------|-------------------|-----------------------------------|
| Various textiles (see page 2) ¹ | MEDB0000180 Rev.2 | 2026-04-05 | 0575 | 164.111/EC0575 /MEDB0000180 Rev.1 |

Item no. MED/3.20 Upholstered furniture

| Type designation | EC Type-Examination Certificate No. | Expiry date | Notified Body No. | USCG approval number |
|--|-------------------------------------|-------------|-------------------|-----------------------------------|
| Various textiles for upholstered furniture (see appendix) ¹ | MEDB0000015 Rev.3 | 2026-04-05 | 0575 | 164.144/EC0575 /MEDB0000015 Rev.2 |

Item no. MED/3.21 Bedding components

| Type designation | EC Type-Examination Certificate No. | Expiry date | Notified Body No. | USCG approval number |
|---------------------|-------------------------------------|-------------|-------------------|-----------------------------|
| Quilts ¹ | MEDB000078D | 2026-04-05 | 0575 | 164.142/EC0575 /MEDB000078D |

Places of production

1.Kvadrat A/S, Lundbergsvej 10, Ebeltoft, Denmark



EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No:
MEDB0000015
Revision No:
3

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV AS under the authority of the Government of Norway.

This is to certify:

That the Upholstered furniture

with type designation(s)
Various textiles for upholstered furniture (see appendix)

Issued to
Kvadrat A/S
Ebeltoft, Midtjylland, Denmark

is found to comply with the requirements in the following Regulations/Standards:
Regulation (EU) 2020/1170,
item No. MED/3.20. SOLAS 74 as amended, Regulation II-2/3, II-2/5, II-2/9 & X/3, 2000 HSC Code 7 and IMO 2010 FTP Code

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2026-04-05**.

Issued at **Høvik** on **2021-04-06**

DNV local station:
Denmark CMC

Approval Engineer:
Nanna Martine Jacobsen



Notified Body
No.: **0575**



for **DNV AS**
Digitally Signed By: Hoff, Øyvind
Location: DNV Høvik, Norway
on behalf of

Roald Vårheim
Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005, and amended by Decision No 1/2019 dated February 22nd, 2019.

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled.
Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Form code: MED 201.NOR

Revision: 2021-03

www.dnv.com

Page 1 of 9



Job Id: **344.1-000385-27**
Certificate No: **MEDB0000015**
Revision No: **3**

Product description

Fabrics as described in the appendix used on furniture.

The fabrics are manufactured at different premises according to information available by Kvadrat A/S.

Application/Limitation

Approved for use throughout the accommodation as upholstery fabric for upholstered furniture.

Fabrics tested on standard non-FR polyurethane foam filling material of density 22 kg/m³ (see table in the appendix) are also approved for use with the same type foam filling material with higher density.

Fabrics tested on any other filling material are approved for use with the foam filling material specified in the table in the appendix.

Each product is to be supplied with its manual for installation/application and maintenance.

Type Examination documentation

Test reports.: see appendix.

Tests carried out

Tested according to IMO FTP Code Part 8 (IMO Res. A.652(16)) and in compliance with IMO 2010 FTP Code Ch. 8, and according to IMO 2010 FTP Code part 8.

Marking of product

The product or packing is to be marked with name and address of the manufacturer, type designation, the MED Mark of Conformity and USCG approval if applicable (see first page).

APPENDIX

| Trade name | Colour variation | Composition | Grammage [g/m ²] | Approved Foam Filling | Test report |
|-----------------------------|-------------------|---|------------------------------|--|---|
| Apparel by Febrik | Peplum | 21% Wool 11% Polyamide 8% Polyester 60% Polyester filling | 900 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00177.03 dated 2019-01-15 from Centexbel |
| Ara | 794 Dark Blue | 92% New Wool Worsted 8% Nylon | 350 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/57793-1-3 dated 2020-10-13 from BTTG |
| Atlas | 181 | 90% New Wool Worsted 10% Nylon | 300 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 55417-2-3 dated 2018-09-20 from BTTG |
| Atom | 191 | 90% New Wool 8% Nylon 2% Polyester | 750 | Standard non-FR polyurethane with density 22 kg/m ³ | 55831-1-3 dated 2018-12-17 from BTTG |
| Avalon 2 by Sahco | 0001 | 100% Trevira CS | 510 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/57257-1 dated 2020-02-10 from BTTG |
| Baby Braid by Febrik | 1416 Shimmer | 24% Wool 8% Polyamide 12% Polyester 6% Elastane 50% Polyester filling | 800 | Standard non-FR polyurethane with density 22 kg/m ³ | 19.02207.03 dated 2019-05-17 from Centexbel |
| Balboa by Sahco | 0012 | 100% Polyester FR | 690 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56070-2 dated 2019-02-26 from BTTG |
| Balder 3 | 0192 | 68 % New Wool 26% Cotton 6% Nylon | 490 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/58241-1 dated 2021-03-01 from BTTG |
| Basel | 187 | 90% New Wool 10% Nylon | 360 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/02661/10/12 dated 2012-10-31 from BTTG |
| Big Braid by Febrik | Grey | 24% Wool 8% Polyamide 12% Polyester 6% Elastane 50% Polyester filling | 800 | Standard non-FR polyurethane with density 22 kg/m ³ | 19.00177.01 dated 2019-01-15 from Centexbel |
| Big Pois by Febrik | 1977 Grass | 20% Wool 5% Polyamide 10% Polyester 5% Elastane 60% Polyester filling | 1450 | Standard non-FR polyurethane with density 22 kg/m ³ | 19.02207.06 dated 2019-05-17 from Centexbel |
| Blur by Febrik | Lime, Linen | 35% Wool 15% Polyamide 15% Polyester 35% Polyester filling | 570 | Fire retardant foam with density 25 kg/m ³ | 19.05094.01 dated 2019-09-30 from Centexbel |
| Brusvik / Malmvik by Innvik | 1862-69 Dark Grey | 92% New Wool 8% Polyamide | 370 | Combustion modified polyurethane foam with density 36 kg/m ³ | 53198-2 dated 2017-03-14 from BTTG |
| Byram | 391 Dark Brown | 100% Mohair | 600 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54469-1 dated 2018-01-08 from BTTG |
| Canvas | 174 Dark Grey | 90% New Wool 10% Nylon | 340 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 2702574B/07/12 dated 2012-07-17 from BTTG |
| Carlton by Sahco | 0009 | 100% Trevira CS | 400 | Combustion modified high resilience foam with density 35 kg/m ³ | 56370-3 dated 2019-02-26 from BTTG |
| Casa/ Castillo | 292 | 100% Trevira CS | 170 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/57015-1 dated 2019-11-18 from BTTG |

| | | | | | |
|------------------------------|---------------|---|-----|--|---|
| Cello | 794 Dark Blue | 100% Trevira CS | 700 | Combustion modified polyurethane foam with density 36 kg/m ³ | 54625-1 dated 2018-01-12 from BTTG |
| Clara | 188 Brown | 92% New Wool 8% Nylon | 290 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 2701091C/09/07 dated 2007-10-04 from BTTG |
| Clara 34 picks soft | 1750 | 92% New Wool 8% Nylon | 310 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 56049-1 dated 2019-02-21 from BTTG |
| Coda 2 | 0182 | 90% New Wool 10% Nylon | 610 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/58241-2 dated 2021-03-01 from BTTG |
| Colline | 177 | 75% New Wool 17% Acrylic 8% Nylon | 460 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/02293B/06/11 dated 2011-06-24 from BTTG |
| Crystal Field | 153 | 38% New Wool 53% Cotton 9% Polyester | 550 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03736D/11/15 dated 2015-12-18 from BTTG |
| Cuba by Sahco Duraflam | 0011 | 100% Cotton Polyester FR treated with Duraflam | 530 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 74759 dated 2019-05-09 from IFS |
| Dalston by Sahco | 0007 | 100% Polyester FR | 616 | Combustion modified foam with density 35 kg/m ³ | 56398-1 dated 2019-05-30 from BTTG |
| Divina 3 | 0191 | 100% New Wool | 560 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/58241-3 dated 2021-03-01 from BTTG |
| Divina MD | 193 | 100% New Wool | 560 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03001/12/13 dated 2013-12-11 from BTTG |
| Divina Melange | 180 | 100% New Wool | 560 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03585B/06/15 dated 2015-07-02 from BTTG |
| Djupvik / Grundvik by Innvik | Beige | 60% New Wool 35% Polyester 5% Nylon treated with Duraflam | 370 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 42983 dated 2017-06-08 from IFS |
| Drake by Sahco | 0017 | 100% Trevira CS | 490 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56070-4 dated 2019-02-26 from BTTG |
| Drop by Febrik | 'Bitter' grey | 60% Wool 20% Polyamide 20% Polyester | 600 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 16.06266.01 dated 2016-12-02 from Centexbel |
| Encircle | 182 | 100% Trevira CS | 400 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/57669-1 dated 2020-08-24 from BTTG |
| Field | 192 | 100% Trevira CS | 300 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/01225/02/08 dated 2008-02-27 from BTTG |
| Fiord | 191 | 92% New Wool 8% Nylon | 360 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03815/02/16 dated 2016-03-23 from BTTG |
| Fitzroy by Sahco | 0015 | 100% Trevira CS | 520 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56398-2 dated 2019-05-30 from BTTG |
| Fjellvik by Innvik | 1750-08 | 75% New Wool Worsted 18% Polyester 7% Polyamide | 480 | Combustion modified foam with density 35 kg/m ³ | 27/03823B/03/16 dated 2016-03-07 from BTTG |
| Floyd | 193 | 45% New Wool 5% Nylon 50% Polyester | 260 | Combustion modified foam with density 35 kg/m ³ | 27/03816/02/16 dated 2016-03-23 from BTTG |
| Forest Nap | 192 | 95% New Wool Worsted 5% Nylon | 310 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03727C/11/15 dated 2015-12-04 from BTTG |
| Foss | 192 | 76% New Wool 11% Viscose 8% Nylon 5% Linen | 350 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 52922-1-3 dated 2017-01-26 from BTTG |

| | | | | | |
|-----------------------------|------------|--|-----|--|---|
| Fuse by Raf Simons | 191 | 65% New Wool 25% Cotton 8% Viscose 4% Nylon | 570 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03686I/10/15 dated 2015-11-10 from BTTG |
| Galaxy | 298 | 100% Polyester FR | 430 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03178Supp/06/14 dated 25 June 2015 from BTTG |
| Glossvik / Glossvik Sparkle | 1023 | 60% New Wool Worsted 23% Viscose 9% Linen 8% Polyamide | 380 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/56814-1 dated 2019-09-24 from BTTG |
| Glow | 183 | 90% New Wool Worsted 10% Nylon | 250 | Combustion modified polyurethane foam with density 36 kg/m ³ | 55801-1 dated 2018-12-10 from BTTG |
| Grazioli by Sahco | 0001 | 100% Trevira CS | 480 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/57928-1 dated 2020-11-03 from BTTG |
| Gressvik/ Gressvik Sparkle | 1024 | 55% New Wool Worsted 33% Polyester 7% Linen 5% Polyamide | 450 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/56861-1 dated 2019-10-10 from BTTG |
| Hallingdal | 190 | 70% New Wool 30% Viscose | 610 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03585C/06/15 dated 2015-07-02 from BTTG |
| Hero | 191 | 96% New Wool 4% Nylon | 410 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03257D/08/14 dated 2014-09-15 from BTTG |
| Highfield 3 | 196 | 100% Trevira CS 3 mm FR foam | 460 | Combustion modified polyurethane foam with density 35 kg/m ³ | 55351-1-1 dated 2018-08-22 from BTTG |
| Husk | 1163 Stone | 15% Wool 9% Polyamide 9% Polyester 1% Elastane 66% Polyester filling | 870 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.02207.01 dated 2019-05-17 from Centexbel |
| Intertwine | 394 | 100% Trevira CS | 400 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/57489-2-3 dated 2020-06-12 from BTTG |
| Jaali | 171 | 92% New Wool Worsted 8% Nylon | 370 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 56282-1 dated 2019-04-23 from BTTG |
| Kjellvik by Innvik | 1004 | 55% New Wool Worsted 33% Polyester 7% Linen 5% Polyamide | 420 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/56814-2 dated 2019-09-23 from BTTG |
| Langevik by Innvik | 203 | 60% Trevira CS 40% Polyester | 480 | Combustion modified foam with density 35 kg/m ³ | 27/03823C/03/16 dated 2016-03-07 from BTTG |
| Letters | 0750 | 50% Cotton 42% New Wool 8% Nylon | 510 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/58241-4 dated 2021-03-01 from BTTG |
| Lila | 181 | 92% New Wool 8% Nylon | 540 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54369-2-2 dated 2017-12-12 from BTTG |
| Maple | 192 | 81% Viscose 15% Linen 4% Polyester | 600 | Combustion modified polyurethane foam with density 36 kg/m ³ | 53465-1 dated 2017-05-30 from BTTG |
| Maple non-woven backing | 192 | 81% Viscose 15% Linen 4% Polyester Non-woven Polyester backing | 600 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56308-1-3 dated 2019-04-30 from BTTG |
| Masai | 192 | 90% New Wool Worsted 10% Nylon | 400 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03400D/12/14 dated 2015-01-21 from BTTG |
| Matrix | 172 | 100% Trevira CS | 560 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/02784A/04/13 dated 2013-04-25 from BTTG |

| | | | | | |
|-----------------------------|----------------------------|--|-----|--|---|
| Melange Nap | 191 | 97% New Wool 3% Nylon | 310 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54142-1-3 dated 2017-10-26 from BTTG |
| Memory | 193 | 100% Trevira CS | 465 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/02852B/07/13 dated 2013-07-15 from BTTG |
| Mercy Circle | 1640 | 92% New Wool Worsted 8% Nylon | 480 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/57453-1 dated 2020-06-02 from BTTG |
| Mevik by Innvik Duraflam | 1184 | 61% New Wool 21% Viscose 9% Linen 9% Polyamide treated with Duraflam | 390 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 74510 dated 2019-04-24 from IFS |
| Mini Husk by Febrik | 1214 | 23% Wool 11% Polyamide 15% Polyester 2% Elastane 49% Polyester filling | 670 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.02207.02 dated 2019-05-17 from Centexbel |
| Molly 2 | 0190 | 100% Trevira CS | 435 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/58241-5 dated 2021-03-01 from BTTG |
| Mosa by Febrik | Charm / Midnight Red | 27% Wool 9% Polyamide 12% Polyester 6% Elastane 46% Polyester filling | 750 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00145.1 dated 2019-01-15 from Centexbel |
| Mosaic 2 by Febrik | Charm / Midnight Red | 27% Wool 9% Polyamide 12% Polyester 6% Elastane 46% Polyester filling | 750 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00145.2 dated 2019-04-12 from Centexbel |
| Mosaic by Sahco | 0006 | 100% Trevira CS | 420 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56398-3 dated 2019-05-30 from BTTG |
| Nettvik by Innvik | 1084 Grey | 57% New Wool 38% Polyester 5% Polyamide treated with Duraflam | 410 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 42984 dated 2017-06-08 June from IFS |
| Nitto by Febrik | 197 | 46% New Wool 42% Polyester 12% Nylon | 365 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56316-1 dated 2019-05-09 from BTTG |
| Noise | 972 | 96% New Wool Worsted 4% Nylon | 510 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03400C/12/14 dated 2015-01-21 from BTTG |
| Nordvik by Innvik | 1184 | 51% Polyester 49% Trevira CS | 460 | Combustion modified foam with density 35 kg/m ³ | 27/03823D/03/16 dated 2016-03-07 from BTTG |
| Novus 1 | 195 | 91% New Wool 8% Nylon 1% Polyester | 480 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 55831-2-3 dated 2018-12-17 from BTTG |
| Novus 2 | 764 | 54% New Wool 30% Viscose 10% Linen 5% Nylon 1% Polyester | 560 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 55831-3-3 dated 2018-12-17 from BTTG |
| Parkland | 191 | 100% Trevira CS | 430 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56369-1 dated 2019-05-20 from BTTG |
| Patio | 170 | 100% Trevira CS | 400 | Combustion modified polyurethane foam with density 35 kg/m ³ | 55103-1-4 dated 2018-06-25 from BTTG |
| Pillar | 181 | 100% Mohair (Cotton base) | 950 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/02863A/07/13 dated 2013-07-31 from BTTG |
| Pilot | 162 | 82% New Wool 10% Polyester 8% Polyamide | 550 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/02862A/07/13 dated 2013-07-31 from BTTG |

| | | | | | |
|----------------------------|---|---|-----|--|--|
| Pine | 981 | 80% Viscose 20% Linen | 570 | Combustion modified polyurethane foam with density 36 kg/m ³ | 53465-2 dated 2017-05-30 from BTTG |
| Plecto by Febrik | 0784 Cosmos Orange / Dark Blue | 60% Wool 20% Polyamide 20% Polyester | 455 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00644.02 dated 2019-04-12 from Centexbel |
| Plus Chevron II | 1750 | 100% Trevira CS | 470 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56383-1 dated 2019-05-21 from BTTG |
| Plus Chevron III | 1280 | 100% Trevira CS | 440 | Combustion modified polyurethane foam with density 36 kg/m ³ | 55736-1 dated 2018-11-22 from BTTG |
| Plus Dice | Grey | 100% Trevira CS | 460 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56187-1 dated 2019-03-29 from BTTG |
| Plus Reinforced | 1180 | 100% Trevira CS | 480 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/03677B/09/15 dated 2015-10-14 from BTTG |
| Pro 3 | 194 | 100% Trevira CS | 340 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03585G/06/15 dated 2015-07-02 from BTTG |
| Pulsar by Raf Simons | 189 | 90% New Wool 8% Nylon 2% Polyester | 540 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03686A/10/15 dated 2015-11-10 from BTTG |
| Raas | 192 | 92% New Wool 8% Nylon | 540 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54369-2-2 dated 2017-12-12 from BTTG |
| Razzle Dazzle by Febrik | Zinc / Black / Dark grey | 60% Wool 20% Polyamide 20% Polyester | 600 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00177.05 dated 2019-01-15 from Centexbel |
| Recheck | 785 | 90% New Wool 10% Nylon | 300 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 53590-1 dated 2017-07-19 from BTTG |
| Reflex by Raf Simons | 199 | 87% New Wool 8% Viscose 5% Nylon | 450 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03686E/10/15 dated 2015-11-10 from BTTG |
| Rekvik by innvik. Duraflam | 1108 | 56% Polyester 40% New Wool 4% Polyamide | 420 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 74511 dated 24 April 2019 from IFS |
| Relate | 191 | 100% Trevira CS | 300 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/57293-1-2 dated 2020-02-25 from BTTG |
| Remix 3 | 196 | 90% New Wool 10% Nylon | 300 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/57542-1-1 dated 2020-07-03 from BTTG |
| Revive 1 / Revive 2 | 194 | 100% Polyester FR | 300 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/03156BSupp/05/14 dated 2015-05-13 from BTTG |
| Re-wool | 198 | 45% Recycled Wool 45% New Wool 10% Nylon | 360 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54770-1 dated 2018-03-26 from BTTG |
| Ria by Raf Simons | 281 | 84% New Wool 12% Viscose 4% Nylon | 700 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03956B/07/16 dated 2016-08-04 from BTTG |
| Rime | 791 | 90% New Wool Worsted 10% Nylon | 410 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03257C/08/14 dated 2014-09-15 from BTTG |
| Saltvik | 1006 | 53% New Wool 39% Nylon 5% Linen 3% Polyamide | 370 | Combustion modified polyurethane foam with density 36 kg/m ³ | 53198-3 dated 2017-03-14 from BTTG |
| Saltvik / Saltvik Sparkle | 05 | 39% New Wool Worsted 53% Polyester 5% Linen 3% Polyamide | 430 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/56851-1 dated 2019-10-07 from BTTG |

| | | | | | |
|------------------------------------|------------------------|---|-----|--|--|
| San | 190 | 92% New Wool 8% Nylon | 260 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 53755-1-2 dated 2017-07-21 from BTTG |
| Savanna | Oatmeal | 34% Polyester 31% New Wool 26% Acrylic 4% Cotton 3% Nylon 2% Linen treated with Duraflam | 480 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 42021 dated 2017-03-20 from IFS |
| Silas | 174 | 75% New Wool 25% Nylon | 490 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/56985-1-4 dated 2019-11-19 from BTTG |
| Sirocco | 181 | 73% New Wool 27% Nylon | 340 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03310A/10/14 dated 2014-10-21 from BTTG |
| Skye | 791 | 90% New Wool 10% Nylon | 410 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 53755-2-2 dated 2017-07-21 from BTTG |
| Sombra by Sahco | 0005 | 100% Trevira CS | 420 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56398-4 dated 2019-05-30 from BTTG |
| Sonar 3 | 194 | 59% New Wool 25% Viscose 9% Linen 5% Polyamide 2% Polyester | 490 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/02944C/10/13 dated 2013-10-29 from BTTG |
| Sosa by Sahco | 0012 | 100% Polyester FR | 320 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56398-5 dated 2019-05-30 from BTTG |
| Speilvik by Innvik | 1028 | 62% Trevira CS 38% Polyester | 450 | Combustion modified high resilience foam with density 35 kg/m ³ | 73539 Amended dated 2016-02-08 (original dated 2016-02-08) from West Yorkshire Materials Testing Service |
| Sprinkles by Febrik | Crossbill / Dark Brown | 30% Wool 10% Polyamide 20% Polyester 40% Polyester filling | 670 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 16.04157.01 dated 2016-09-22 from Centexbel |
| Star | 197 | 100% Trevira CS | 410 | Combustion modified high resilience foam with density 35 kg/m ³ | 2701251C/03/08 dated 2008-03-12 from BTTG |
| Steelcut 2 | 0190 | 90% New Wool Worsted 10% Nylon | 590 | Combustion modified polyurethane foam with density 36 kg/m ³ | 23/58241-6 dated 2021-03-01 from BTTG |
| Steelcut Trio | 195 | 90% New Wool 10% Nylon | 620 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/00956/04/07 dated 2008-05-17 from BTTG |
| Steelcut Trio CS | 1195 | 100% Trevira CS | 400 | Combustion modified high resilience foam with density 35 kg/m ³ | 27/02955/10/13 dated 2013-11-05 from BTTG |
| Still | 191 | 100% Trevira CS | 450 | Combustion modified polyurethane foam with density 35 kg/m ³ | 55403-1-1 dated 2018-09-11 from BTTG |
| Stitch by Febrik | Royal Blue | 21% Wool 9% Polyamide 8% Polyester 62% Polyester filling | 900 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00177.02 dated 2019-01-15 from Centexbel |
| Sunniva – Duraflam flame retardant | 183 | 62% New Wool 25% Viscose 8% Linen 5% Polyamide | 420 | Combustion modified high resilience foam with density 35 kg/m ³ | 23977 dated 2013-08-12 from IFS |
| Super Star | 1190 | 100% Trevira CS | 470 | Combustion modified polyurethane foam with density 35 kg/m ³ | 55262-1 dated 2018-07-24 from BTTG |
| Tambourine Hallingdal | 398 | 70% New Wool 30% Viscose | 610 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/00857/04/07 dated 2008-05-17 from BTTG |

| | | | | | |
|--|---------------------------------------|--|-----|---|---|
| Thor | 1740 | 100% Mohair (pile) Cotton/ Viscose base | 560 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54625-3 dated 2018- 01-12 from BTTG |
| Tokyo | 182 | 67% New Wool 24% Polyester 9% Polyamide | 420 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 2702758B/03/13 dated 2013-03-15 from BTTG |
| Tonica | 192 | 100% New Wool | 500 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03635B/08/15 dated 2019-08-19 from BTTG |
| Tonus 4 | 128 | 90% New Wool 10% Helanca | 475 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03585I/06/15 dated 2015-07-02 from BTTG |
| Torsvik / Torsvik Sparkle | 1926-49 | 92% New Wool 8% polyamide | 345 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 23/56851-2 dated 2019-11-07 from BTTG |
| Triangle by Febrik | Copper / Black Camel | 22% Wool 7% Polyamide 7% Polyester 64% Polyester filling | 850 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 19.00177.04 dated 2019-01-15 from Centexbel |
| Twill Weave | 190 | 90% New Wool 10% Nylon | 685 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 54469-2 dated 2018- 01-08 from BTTG |
| Umami | 191 | 90% New Wool Worsted 10% Nylon | 460 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03313C/10/14 dated 2014-11-23 from BTTG |
| Uniform / Uniform Melange by Febrik | Fig (red with touch of blue) | 68% Wool 22% Polyamide 10% Polyester with 100% Polyester backing | 490 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 16.02643.04 dated 2016-06-07 from Centexbel |
| Veto | 1190 | 100% Trevira CS | 410 | Combustion modified polyurethane foam with density 35 kg/m ³ | 56383-2 dated 2019- 05-21 from BTTG |
| Vidar | 1880 | 94% New Wool 6% Polyamide | 540 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/00502/02/06 dated 2006-06-07 from BTTG |
| Waterborn | 183 | 85% Polyester 15% Polyurethane treated with Durafam/ Duracote | 430 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 17190 dated 2010-11- 19 from IFS |
| Zürich 2 | 1170 | 100% Trevira CS | 440 | Standard non-FR polyurethane foam with density 22 kg/m ³ | 27/03379/12/14 dated 2015-01-20 from BTTG |
| Zürich 2 Melange | 1190 | 100% Trevira CS | 640 | Combustion modified polyurethane foam with density 36 kg/m ³ | 56383-3 dated 2019- 05-21 from BTTG |