created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 80106795008

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Apo is a roller blind textile used for interior and design.

# Section 1: Summary

# **Basic Method / Product Threshold**

## **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

**Residuals/Impurities Evaluation** 

C Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified

Yes ○ No

Provided name and CAS RN or other identifier.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

APO [ POLYETHYLENE TEREPHTHALATE (PET) LT-P1

POLYURETHANE LT-P1 | EYE | MAM | AQU ALUMINUM BM-1 | END |

PHY | MAM ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Environmental friendly Blind / Shading fabric based on woven polyester with a reflective aluminum coating.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: UL/GreenGuard Gold Certified

Management: ISO 14001:2004 Environmental management systems Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction

of Chemicals

# **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  **SCREENING DATE: 2023-06-25 PUBLISHED DATE: 2023-07-06** EXPIRY DATE: 2026-06-25

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### APO

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale.

Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://kvadratshop.com/en/shade/products/textiles/1324-apo

## **POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2023-06-25 23:49:08
%: 95.0000 - 99.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition is 100% Trevira CS polyester yarns. The yarn is inherently flame retardant as a phosphor-organic compound is integrated in the yarn.

POLYURETHANE ID: 64440-88-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-06-25 23:49:08

%: 1.0000 - 5.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyurethane dispersion is added as a finish to give the fabric the stiffness that is a characteristic for roller blinds.

ALUMINUM				ID: <b>7429-90-5</b>		
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	nical and Materials Library HAZARD S		CREENING DATE: 2023-06-25 23:49:09		
%: 0.1000 - 0.2000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coating		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocr	rine Disruptor		
PHY	EU - GHS (H-Statements) Annex	6 Table 3-1		fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]		
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or are [Specific target organs/systemic arepeated exposure - Category 1]		
PHY	GHS - New Zealand		Flammable solid	s category 1		
MAM	GHS - Japan			amage to organs [Specific target toxicity following single exposure -		
PHY	GHS - Japan		[Substances and	t with water releases flammable gas I mixtures, which in contact with water, gases - Category 2]		
PHY	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]			
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]			
PHY	GHS - New Zealand		Pyrophoric solid	s category 1		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: High purity metallic aluminum coating applied by physical vapor deposition. This high purity aluminum is free of impurities to 0.01%.

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS UL/GreenGuard Gold Certified** 

**CERTIFYING PARTY: Third Party** 

APPLICABLE FACILITIES: Building materials, finishes and furnishings.

**CERTIFICATE URL:** 

https://episerverazureblobs.blob.core.windows.net/catalog/49415b\_GGG\_1324\_SGreenguard-

certificate.pdf

CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date.

**MANAGEMENT** 

ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

ISSUE DATE: 2018-02-01

**EXPIRY DATE:** 

CERTIFIER OR LAB: Tuv Rheinland

**CERTIFIER OR LAB:** 

**UL Environment** 

CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.

**MULTI-ATTRIBUTE** 

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, **Evaluation, Authorization and Restriction of Chemicals** 

ISSUE DATE: 2020-02-

EXPIRY DATE:

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://echa.europa.eu/

**CERTIFICATION AND COMPLIANCE NOTES:** 

ISSUE DATE: 2018-06-19

**EXPIRY DATE:** 

CERTIFIER OR LAB: none

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

## HARDWARE FOR ROLLER BLIND

MANUFACTURER (OR GENERIC): Kvadrat Shade

HPD URL: No HPD available

**ACCESSORY TYPE: Installation Accessory** 

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The hardware is required for all installations. The hardware consist of different parts and the composition is as described: Cassette profile is 100% aluminum alloy, anodized or powder-coated. End caps are 100% zamak, anodized or powder-coated. Thin plastic line (aka coloured trim) is 100% ABS. Bottom bar is 100% aluminum alloy, anodized or powdercoated. Chain is stainless steel.

# Section 5: General Notes

Test results for Apo: Light fastness note 4-5. FR standards: BS 5867 part 2 type B, DIN 4102 B1, EN 13 773 class 1, Chinese GB 50222 B1, JIS L 1091 A-1 D, NF P 92 507 M1, NFPA 701.

## MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat A/S
ADDRESS: Lundbergsvej 10
Ebeltoft Syddjurs 8400, Denmark
WEBSITE: https://kvadrat.dk/

CONTACT NAME: Johanne Villumsen TITLE: Project Manager, test & sourcing

PHONE: +45 26703007 EMAIL: jovi@kvadrat.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

# Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.