created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 2101719040 CLASSIFICATION: 12 22 13 Draperies

PRODUCT DESCRIPTION: Transparent Reflect is a curtain textile used for interior and design, metallised at the external facing side.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Product

Material

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened

⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

# **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

TRANSPARENT REFLECT [ POLYESTER FIBERS NoGS SOFTENER BM-1 ALUMINUM (PRIMARY CASRN IS 7429-90-5) BM-1 | END | MAM | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

BM-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

Disperse dyes for polyester textiles are not considered.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of

Chemicals

# **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VFRIFIFR:

**VERIFICATION #:** 

SCREENING DATE: 2024-08-14 PUBLISHED DATE: 2024-08-19

EXPIRY DATE: 2027-08-14

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

# TRANSPARENT REFLECT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://www.kvadrat.dk/en/products/curtains/1035-transparent-reflect.

POLYESTER FIBERS ID: 80595-68-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2024-08-14 6:29:03
%: 97.0000 - 99.0000	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Inherently flame retardant polyester yarns

SUBSTANCE NOTES: Fatty acid softener for textiles

SOFTENER ID: 69896-13-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-08-14 6:29:03		
%: 0.5000 - 2.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Softener	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	rnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	
				-	

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-08-14 6:29:03				
%: 0.1000 - 0.2000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Reflectance		
HAZARD TYPE	LIST NAME AND SOURC	E	WARNINGS			
END	TEDX - Potential Endocrin	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MAM	GHS - Japan	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
PHY	GHS - Japan	GHS - Japan		H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]		
PHY	GHS - Malaysia	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY	GHS - Australia	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY	GHS - New Zealand		Pyrophoric solids category 1			
ADDITIONAL LISTINGS	LIST NAME AND SOURC	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
			Biological and En	vironmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022		
			Children's Produc	ets		

SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition. This high purity aluminum is free of impurities to .01%.

Adhesion according to ISO 2409 classification 0 (no detachment of coating).

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

# **VOC EMISSIONS**

# **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2023-12-28 00:00:00 **EXPIRY DATE:** 

CERTIFIER OR LAB: UL

Environment

**CERTIFICATE URL:** 

https://www.kvadrat.dk/en/products/curtains/1035-

transparent-reflect

CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date.

# **MULTI-ATTRIBUTE**

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, **Evaluation, Authorization and Restriction of Chemicals** 

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: all

CERTIFICATE URL: https://echa.europa.eu/ CERTIFICATION AND COMPLIANCE NOTES: ISSUE DATE: 2007-06-01 00:00:00

**EXPIRY DATE:** 

CERTIFIER OR LAB: none

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Test results for Transparent Reflect: LIGHTFASTNESS: 6 (ISO 1-8), ISO 105-B02. VISUAL LIGHT TRANSMISSION: 49%. FIRE TESTS: NFPA 701, EN 13 773 class 1, DIN 4102 B1, NF P 92 507 M1, UNI 9177 Classe 1, BS 5867 part 2 type B, SN 198 898 5.2, IMO FTP Code 2010 Part 7, AS/NZS 1530.3.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Kvadrat A/S ADDRESS: Lundbergsvej 10 Ebeltoft, Syddjurs 8400 COUNTRY: Denmark

CONTACT NAME: Line Brændbyge TITLE: Trainee Quality Department

PHONE: 4414 2296 EMAIL: libr@kvadrat.dk

WEBSITE: Kvadrat.dk

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

# **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

# Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

