



QS - CERTIFICATE OF ASSESSMENT - EC (MODULE D)

Certificate no.: **MEDD00000FW**
Revision No: **8**

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV AS under the authority of the Government of Norway.

This is to certify:

that the Quality System for the products

with type designation(s) as specified in the Appendix to this Certificate

issued to

Kvadrat A/S
Ebeltoft, Midtjylland, Denmark

is found to comply with the applicable requirements.


The quality system has been assessed with respect to the procedure of conformity assessment described in Annex II, Module D in the directive 2014/90/EU and regulation (EU) 2024/1975.

This Certificate is valid until **2029-09-17**.

Issued at **Høvik** on **2024-09-18**

DNV local unit:
Denmark CMC

Approval Engineer:
Izabela Misztal



Notified Body
No.: **0575**




for **DNV AS**

Digitally Signed By:
Christine Mydlak-Röder
Location: **DNV Høvik, Norway**

Mydlak-Röder, Christine
Head of Notified Body

The manufacturer is allowed to affix the U.S. Coast Guard approval number(s) as stated in the appendix attached hereto and as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005, and amended by Decision No 1/2023 dated August 21st, 2023.



0575/yyyy

0575: Notified Body number undertaking quality surveillance
yyyy: The year in which the mark is affixed



The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU. This certificate authorizes the manufacturer in conjunction with the valid EC Type Examination (Module B) Certificate(s) of the equipment listed before to affix the Mark of Conformity (wheelmark) to the product described herein. This certificate loses its validity if the manufacturer makes any changes to the approved quality system which have not been notified to and agreed with the notified body named on this certificate. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. The Manufacturer has to apply for periodical audits to verify the maintenance and application of the quality system every 12 months.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



APPENDIX

Item no. MED/3.18a Surface materials and floor coverings with low flame-spread characteristics: decorative veneers

Type designation	EC Type-Examination Certificate No.	Expiry date	Notified Body No.	USCG approval number
Wallcoverings ¹	MEDB00002E1 Rev.3	2027-07-06	0575	164.112/EC0575 /MEDB00002E1 Rev. 3

Item no. MED/3.19 Draperies, curtains and other suspended textile materials and films

Type designation	EC Type-Examination Certificate No.	Expiry date	Notified Body No.	USCG approval number
Various textiles (see page 2) ¹	MEDB0000180 Rev.2	2026-04-05	0575	164.111/EC0575 /MEDB0000180 Rev.2

Item no. MED/3.20b Upholstered furniture: cover material for any filling material

Type designation	EC Type-Examination Certificate No.	Expiry date	Notified Body No.	USCG approval number
Various textiles for upholstered furniture (see appendix) ¹	MEDB00007ZZ	2026-04-05	0575	N/A

Item no. MED/3.20c Upholstered furniture: cover material for flame-retardant filling material (tested in specific combination as intended for further application)

Type designation	EC Type-Examination Certificate No.	Expiry date	Notified Body No.	USCG approval number
Various textiles for upholstered furniture (see appendix) ¹	MEDB0000015 Rev.4	2026-04-05	0575	N/A

Item no. MED/3.21 Bedding components

Type designation	EC Type-Examination Certificate No.	Expiry date	Notified Body No.	USCG approval number
Quilts ¹	MEDB000078D	2026-04-05	0575	164.142/EC0575 /MEDB000078D

Places of production

1.Kvadrat A/S, Lundbergsvej 10, Ebeltøft, Denmark



EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No:
MEDB0000015
Revision No:
4

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV AS under the authority of the Government of Norway.

This is to certify:

That the Upholstered furniture: cover material for flame-retardant filling material (tested in specific combination as intended for further application)

with type designation(s)
Various textiles for upholstered furniture (see appendix)

Issued to
Kvadrat A/S
Ebeltoft, Midtjylland, Denmark

is found to comply with the requirements in the following Regulations/Standards:
Regulation (EU) 2021/1158,
item No. MED/3.20c. SOLAS 74 as amended, Regulation II-2/3, II-2/5, II-2/9 & X/3, 2000 HSC Code 7 and IMO 2010 FTP Code


Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2026-04-05**.

Issued at **Høvik** on **2022-07-07**

DNV local station:
Denmark CMC

Approval Engineer:
Nanna Martine Jacobsen



Notified Body
No.: **0575**



for **DNV AS**

Digitally Signed By:
Helene David-Andersen
Location: DNV Høvik, Norway
on behalf of

Sverre Olav Bergli
Head of Notified Body



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU. This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.





Job Id: **344.1-000385-29**
Certificate No: **MEDB0000015**
Revision No: **4**

Product description

Fabrics for upholstered furniture as given in the appendix to this certificate.

The fabrics are manufactured at different premises according to information available by Kvadrat A/S.

Application/Limitation

Cover material approved for use on flame retardant filling material in upholstered furniture with restricted fire risk.

Approved with foam filling material of type and density as specified in table in the appendix to this certificate.

Each product is to be supplied with its manual for installation/application and maintenance.

Type Examination documentation

Test reports: see appendix.

Tests carried out

Tested according to IMO FTPC Part 8 and in compliance with IMO 2010 FTP Code Ch. 8 and according to IMO 2010 FTP Code part 8.

Marking of product

The product or packing is to be marked with name and address of the manufacturer, type designation and the MED Mark of Conformity (see first page).

APPENDIX

Trade name	Colour variation	Grammage [g/m ²]	Composition	Approved Foam Filling	Test report
Atrium Outdoor	201/ Light Beige	360	100% Trevira CS, Water Repellent	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58400-1-1 dated 19 April 2021
Avalon 2 by Sahco	0001	510	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/57257-1 dated 10 February 2020
Balboa by Sahco	0012	690	100% Polyester FR	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56070-2 dated 26 February 2019
Balder 3	0192	490	68 % New Wool 26% Cotton 6% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58241-1 dated 1 March 2021
Base by Sahco	012	572	32% New Wool 32% Polyacrylic 30% Cotton 6% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59581B/04/22 dated 25 April 2022
Basel	187	360	90% New Wool 10% Nylon	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/02661/10/12 dated 31 October 2012
Blur by Febrik	Lime, Linen	570	35% Wool 15% Polyamide 15% Polyester 35% Polyester filling	Fire retardant foam, 25 kg/m ³	Centexbel 19.05094.01 dated 30 September 2019
Broken Twill Weave	186	354	100% Post-consumer recycled polyester	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59488A/03/22 dated 25 March 2022
Brusvik / Malmvik by Innvik	1862-69 Dark Grey	370	92% New Wool 8% Polyamide	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 53198-2 dated 14 March 2017
B108 by Sahco	005	573	100% Mohair	Combustion modified high resilience foam, 35 kg/m ³	BTTG 23/59581A/04/22 dated 25 April 2022
Carlton by Sahco	0009	400	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 56370-3 dated 26 February 2019
Casa/ Castillo	292	170	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/57015-1 dated 18 November 2019
Cello	794 Dark Blue	700	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 54625-1 dated 12 January 2018
Coda 2	0182	610	90% New Wool 10% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58241-2 dated 1 March 2021

Condor by Sahco	002	914	63% New Wool 26% Polyurethane 7% Polyester 4% Cotton	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59581C/04/22 Dated 25 April 2022
Dalston by Sahco	0007	616	100% Polyester FR	Combustion modified foam, 35 kg/m ³	BTTG 56398-1 dated 30 May 2019
Divina 3	0191	560	100% New Wool	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58241-3 dated 1 March 2021
Drake by Sahco	0017	490	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56070-4 dated 26 February 2019
Elle by Sahco	180	643	25% Cotton 20% Wool 20% Viscose 20% Polyacrylic 15% Polyamide	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59586A/04/22 dated 22 April 2022
Encircle	182	400	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/57669-1 dated 24 August 2020
Fanello by Sahco	004	714	81% Viscose 17% Linen 2% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59581E/04/22 dated 25 April 2022
Fez Stripe by Sahco	006	407	70% Cotton 30% Polyester	Combustion modified high resilience foam, 35 kg/m ³	BTTG 23/59581G/04/22 dated 25 April 2022
Field	192	300	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/01225/02/08 dated 27 February 2008
Fitzroy by Sahco	0015	520	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56398-2 dated 30 May 2019
Fjellvik by Innvik	1750-08	480	75% New Wool Worsted 18% Polyester 7% Polyamide	Combustion modified foam, 35 kg/m ³	BTTG 27/03823B/03/16 dated 7 March 2016
Floyd	193	260	45% New Wool 5% Nylon 50% Polyester	Combustion modified foam, 35 kg/m ³	BTTG 27/03816/02/16 dated 23 March 2016
Glow	183	250	90% New Wool Worsted 10% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 55801-1 dated 10 December 2018
Grazioli by Sahco	0001	480	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/57928-1 dated 3 November 2020
Highfield 3	196	460	100% Trevira CS 3 mm FR foam	Combustion modified polyurethane foam, 35 kg/m ³	BTTG 55351-1-1 dated 22 August 2018
Langevik by Innvik	203	480	60% Trevira CS 40% Polyester	Combustion modified foam, 35 kg/m ³	BTTG 27/03823C/03/16 dated 7 March 2016

Letters	0750	510	50% Cotton 42% New Wool 8% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58241-4 dated 1 March 2021
Maple	192	600	81% Viscose 15% Linen 4% Polyester	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 53465-1 dated 30 May 2017
Maple non-woven backing	192	600	81% Viscose 15% Linen 4% Polyester Non-woven Polyester backing	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56308-1-3 dated 30 April 2019
Matrix	172	560	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/02784A/04/13 dated 25 April 2013
Memory	193	465	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/02852B/07/13 dated 15 July 2013
Molly 2	0192	435	100% New Wool Worsted	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58241-5 dated 1 March 2021 Amended 9 February 2022
Mosaic by Sahco	0006	420	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56398-3 dated 30 May 2019
Moss by Sahco	008	655	14% Acrylic 52% Cotton 6% Linen 3% Polyamide 3% Polyester 2% Viscose	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59492G/03/22 dated 29 March 2022
Mountain by Sahco	001	285	100% Polyester FR	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59492F/03/22 dated 29 March 2022
Nara by Sahco	009	785	35% Cotton 15% Viscose 50% Linen	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59492E/03/22 dated 29 March 2022
Nitto by Febrik	197	365	46% New Wool 42% Polyester 12% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56316-1 dated 9 May 2019
Nordvik by Innvik	1184	460	51% Polyester 49% Trevira CS	Combustion modified foam, 35 kg/m ³	BTTG 27/03823D/03/16 dated 7 March 2016
Parkland	191	430	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56369-1 dated 20 May 2019
Patio	170	400	100% Trevira CS	Combustion modified polyurethane foam, 35 kg/m ³	BTTG 55103-1-4 dated 25 June 2018
Pine	981	570	80% Viscose 20% Linen	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 53465-2 dated 30 May 2017

Plus Alinea	1149/ Grey	490	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/59298/01/22 dated 28 January 2022
Plus Chevron II	1750	470	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56383-1 dated 21 May 2019
Plus Chevron III	1280	440	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 55736-1 dated 22 November 2018
Plus Dice	Grey	460	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56187-1 dated 29 March 2019
Plus Reinforced	1180	480	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/03677B/09/15 dated 14 October 2015
Reflect	194	300	100% Post-consumer recycled polyester	Combustion modified high resilience foam, 35 kg/m ³	BTTG 23/59488B/03/22 dated 25 March 2022
Relate	191	300	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/57293-1-2 dated 25 February 2020
Revive 1 / Revive 2	194	300	100% Polyester FR	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/03156BSupp/05/14 dated 13 May 2015
Saltvik	1006	370	53% New Wool 39% Nylon 5% Linen 3% Polyamide	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 53198-3 dated 14 March 2017
Sombra by Sahco	0005	420	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56398-4 dated 30 May 2019
Sosa by Sahco	0012	320	100% Polyester FR	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56398-5 dated 30 May 2019
Speilvik by Innvik	1028	450	62% Trevira CS 38% Polyester	Combustion modified high resilience foam, 35 kg/m ³	West Yorkshire Materials Testing Service 73539 dated 8 February 2016, Amended 8 February 2016
Star	197	410	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 2701251C/03/08 dated 12 March 2008
Steelcut 2	0190	590	90% New Wool Worsted 10% Nylon	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 23/58241-6 dated 1 March 2021
Steelcut Trio CS	1195	400	100% Trevira CS	Combustion modified high resilience foam, 35 kg/m ³	BTTG 27/02955/10/13 dated 5 November 2013

Still	191	450	100% Trevira CS	Combustion modified polyurethane foam, 35 kg/m ³	BTTG 55403-1-1 dated 11 September 2018
Sunniva – Duraflam flame retardant	183	420	62% New Wool 25% Viscose 8% Linen 5% Polyamide	Combustion modified high resilience foam, 35 kg/m ³	IFS 23977 dated 12 August 2013
Super Star	1190	470	100% Trevira CS	Combustion modified polyurethane foam, 35 kg/m ³	BTTG 55262-1 dated 24 July 2018
Valley by Sahco	006 Dark Brown	210	100% Polyester FR	Combustion modified polyurethane foam, 35 kg/m ³	BTTG 23/59221/12/21 dated 12 January 2022
Veto	1190	410	100% Trevira CS	Combustion modified polyurethane foam, 35 kg/m ³	BTTG 56383-2 dated 21 May 2019
Zürich 2 Melange	1190	640	100% Trevira CS	Combustion modified polyurethane foam, 36 kg/m ³	BTTG 56383-3 dated 21 May 2019