

Mizmaze

Design: Sylvain Willenz

Type: Upholstery

Composition: 30% new wool, 60% polyester, 10% nylon

Yarn type: Worsted Binding: Knit

Width: approx. 163 cm, 64 inches Weight: approx. 950 g/lin.m, 31 oz/ly

Repeat: approx. 102 cm V, approx. 163 cm H

Colour difference may occur
Foreign fibers may occur in light colours

Cleaning: Vacuum clean frequently, ideally every week if fixed covers. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Also washable at 30°C, half wash load. Drip drying. Mount in moist condition. Shrinkage max. 6% at 30°C. Disinfection, see kyadrat.dk

More info: Care and maintenance kvadrat.dk

30/ X X Z ∂ P











Mizmaze

Abrasion

Approx. 100.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention

Pilling

Note 4, EN ISO 12945

Lightfastness

Note 5-6, ISO 105-B02

Fastness to rubbing

Dry note 4-5, ISO 105-X12 Wet note 4-5, ISO 105-X12

Absorption

0.55 Class D (flat)

Airflow

301 Pa s/m EN 29035

Flame resistance

AS/NZS 3837 class 2 ASTM E84 Class A Unadhered BS 5852 part 1 BS 5852 Crib 5 with treatment* DIN 4102-B2 EN 1021-1/2 IMO FTP Code 2010 part 8 US Cal. Bull. 117-2013

Free from added flame retardant chemicals as standard

* To pass this test flame retardant treatment is necessary. We are looking into more environmentally friendly alternatives but for now, the external finisher may use a treatment containing halogen-based flame retardants

ACT Guidelines Knit fabrics

Flammability

US Cal. Bull. 117-2013

Dry & Wet Crocking

Dry Crocking: Grade 4.5 Wet Crocking: Grade 4.5

Colour Fastness to Light

Grade 4.5 minimum 40 hours

Physical properties

Pilling Class 4-5
Breaking Strength wale 112 / course 321 lbs
Seam Slippage wale 112 / course 106 lbs

Abrasion

100.000 cycles Martindale - High Traffic / Public Space

Benefits of wool

Wool is a renewable resource
Wool is very comfortable because of its ability to absorb/
give off humidity
Wool is flame retardant
Wool is biodegradable
Wool is naturally soil resistant
Wool ages with grace

Quality benefits

Great wear- and stretchability Very good abrasion Flame retardant

Environmental benefits

REACH compliant
Follow the EU Ecolabel dye restrictions incl. AZO dye
and heavy metal restrictions
No use of halogen-based flame retardants (incl. brominated
and chlorinated)
No content of formaldehyde
Water efficient

Green building certificates

Greengard Gold: Low chemical emission Health Product Declaration (HPD): Declaring textile content and substance

Country of origin

The Netherlands

Launch

2021

Warranty

5 years. See terms and conditions on kvadrat.dk

Kvadrat packaging and cardboard is recyclable. Cardboard material is FSC certified and / or contains recycled content.

For further information kvadrat.dk

kvadrat febrik