

HPD UNIQUE IDENTIFIER: 207141821440

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Vidar 4 is an a upholstery textile used for interior and design.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- Partially Completed
- Not Completed

Explanation(s) provided :

- Yes No

For all contents above the threshold, the manufacturer has:
Characterized Yes No

Provided weight and role.

Screened Yes No

Provided screening results using HPDC-approved methods.

Identified Yes No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

VIDAR 4 [**WOOL NYLON 6,6** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

Management: ISO 14001:2015 Environmental management systems

Management: ISO 9001:2015 Quality management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-10-30

PUBLISHED DATE: 2024-10-30

EXPIRY DATE: 2027-10-30

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

VIDAR 4

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: <https://kvadrat.dk/products/8484>

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **94.0000** GreenScreen: **Not Required** RC: **None** NANO: **No** MATERIAL ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: Animal-based materials

INGREDIENT DESCRIPTION: Wool

MATERIAL CONTENT NOTES: Wool cannot be identified by CAS RN# as it has none. Wool is a renewable resource, Wool is very comfortable because of its ability to absorb/give off humidity, Wool is flame retardant, Wool is biodegradable, Wool is naturally soil resistant, Wool ages with grace.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

NYLON 6,6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-10-30 7:01:46**

%: **6.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Building materials, finishes and furnishings. CERTIFICATE URL: https://static.kvadrat.dk/assets/pdf/collection/green-guard-gold/a4/ggg-8484-sgreenguard-certificate.pdf	ISSUE DATE: 2016-10-26 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date.		
MULTI-ATTRIBUTE	REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: https://echa.europa.eu/	ISSUE DATE: 2007-06-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: none
CERTIFICATION AND COMPLIANCE NOTES:		
MANAGEMENT	ISO 14001:2015 Environmental management systems	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2019-11-27 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Dovre Certification AS
CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.		
MANAGEMENT	ISO 9001:2015 Quality management systems	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2019-11-27 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Dovre Certification AS
CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year.		
MULTI-ATTRIBUTE	EU Ecolabel - Textiles	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All. CERTIFICATE URL: https://www.kvadrat.dk/en/products/upholstery/8484-vidar-4?id=8484:::0582	ISSUE DATE: 2024-03-20 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Ecolabelling Denmark
CERTIFICATION AND COMPLIANCE NOTES: The EU-Ecolabel's criteria are revised approximately every 4-5 years. If new criteria apply to the textile we will renew the certificate, but else the textile is considered certified always once first obtained the certificate. Therefore, no expiry date has been set.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Test results for Vidar 4: DURABILITY: 100,000 Martindale. PILLING: 4 (ISO 1-5). LIGHTFASTNESS: 7. FIRE TESTS: BS 5852 crib 5 (if FR treated) • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • GB 50222 B1 (if FR treated) • SN 198 898 5.3 (if FR treated) • IMO FTP Code 2010 Part 7 (if FR treated) • NFPA 701 (if FR treated). FASTNESS TO RUBBING: 3-4 (Dry), 3 (Wet). AIRFLOW: 367 Pa s/m. ABSORPTION: 0.55/Class D (Absorption flat)

MANUFACTURER INFORMATION

MANUFACTURER: **Kvadrat A/S**
 ADDRESS: **Lundbergsvej 10**
Ebeltoft, Syddjurs 8400
 COUNTRY: **Denmark**

WEBSITE: **https://kvadrat.dk/**
 CONTACT NAME: **Johanne Villumsen**
 TITLE: **Project Manager, test & sourcing**
 PHONE: **+4589531993**
 EMAIL: **jovi@kvadrat.org**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

