



Remix Flow

Lightfastness

Note 6-7, ISO 105-B02

Solar optical properties (EN 14500:2021)

Visual light Transmission: 1-21%

Solar Reflection: 33-62%

Thermal performance (EN 14501:2021, based on reference glazing G)

G-tot value (SHGC): 17-29%

U-tot value: 0.84 W/m²K

Total Light Transmission: 1-17%

Classification for Visual comfort (EN 14501:2021)

Glare control Class 1-4

Visual contact with the outside Class 0-2

Absorption

150 mm airgap

0.60/Class C (flat), 0.85/Class B (waved) EN ISO 354

100 mm airgap

0.50/Class D (flat), 0.80/Class B (waved) EN ISO 354

Airflow

722 Pa s/m EN 29053

Flame resistance

AS/NZS 1530.3

BS 5867 part 2 type B

DIN 4102 B1

EN 13 773 class 1

IMO FTP Code 2010 Part 7

JIS L 1091 A-1 D

NF P 92 507 M1

NFPA 701

SN 198 898 5.2

UNI 9177 Class 1

ACT Guidelines Woven fabrics

Flammability

NFPA 701

Dry & Wet Crocking AATCC 8

Dry Crocking: Grade 4.5

Wet Crocking: Grade 4.5

Colour Fastness to Light AATCC 16

Grade 5 minimum 60 hours

Physical properties

Seam Slippage warp 34 / weft 35.5 lbs. ASTM D434

Remix Flow

Design: Giulio Ridolfo

Type: Curtain

Composition: 95% recycled polyester FR, 5% polyester FR

Openness factor: 0.5%

Yarn type: Staple

Binding: Plain

Width: Approx. 300 cm, 118 inches

Weight: Approx. 750 g/lin.m, 24 oz/ly

Repeat: None

Colour difference may occur

Cleaning: Washing at max. 60°C.

Drip drying.

Shrinkage approx. 2% when washed at 60°C.

Ironing might be necessary.

Disinfection, see www.kvadrat.dk

More info: Care and maintenance kvadrat.dk



10 year warranty



Quality benefits

Very good lightfastness
Permanent flame retardant
Washable
Acoustic performance

Environmental benefits

Follow the EU Ecolabel dye restrictions incl. AZO dye
and heavy metal restrictions
No use of halogen-based flame retardants (incl. brominated
and chlorinated)
REACH compliant
Californian Proposition 65 list compliant
LBC Red list compliant
Mono-material designed for circularity
Recyclable

Country of origin

Netherlands

Launch

2024

Warranty

10 years. See terms and conditions on kvadrat.dk

Kvadrat packaging and cardboard is recyclable. Cardboard
material is FSC certified and / or contains recycled content.

Kvadrat A/S is ISO 9001 and ISO 14001 certified

For further information
kvadrat.dk