created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 8376456984576 CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Acca is an upholstery textile used for interior and design.

# Section 1: Summary

## **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified

Yes ○ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

ACCA BY SAHCO [ RAYON, PURIFIED NoGS RECYCLED COTTON POLYETHYLENE TEREPHTHALATE (PET) LT-P1 NYLON-66 LT-UNK Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Special Conditions applied: [BiologicalMaterial]

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of

Chemicals

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2024-12-16 PUBLISHED DATE: 2024-12-18 EXPIRY DATE: 2027-12-16

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## **ACCA BY SAHCO**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://www.kvadrat.dk/en/products/upholstery/600767-acca

**RAYON, PURIFIED** ID: 61788-77-0 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-12-16 0:00:06 %: 35.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Textile component HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found **NOTIFICATION** ADDITIONAL LISTINGS LIST NAME AND SOURCE None found No listings found on Additional Hazard Lists SUBSTANCE NOTES:

	RECYCLED COTT	ID: Biological Material						
	HAZARD DATA SOURCE: HPDC Special Conditions Policy							
	%: 33.0000	GreenScreen: Not Required	RC: PreC	NANO: <b>No</b>	MATERIAL ROLE: Textile component			
	HAZARD TYPE	AGENCY AND LIST T	TITLES	WARNINGS				
	Hazard Screening is not applicable to this Special Condition							
BIOLOGICAL MATERIALS CATEGORY: Plant-based materials								
INGREDIENT DESCRIPTION: Cotton								

 ${\tt MATERIAL\ CONTENT\ NOTES:\ The\ recycled\ content\ is\ from\ textile\ waste,\ pre\ consumer.}$ 

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

## POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZAF	HAZARD SCREENING DATE: 2024-12-16 0:00:07		
%: 25.0000	GreenScreen: LT-P1	RC: PostC	NANO: <b>No</b>	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
None found				No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The recycled content is from PET bottles, post consumer.

NYLON-66	ID: <b>32131-17-2</b>
----------	-----------------------

HAZARD DATA SOUR	<b>Pharos Chemical and Materials Libr</b>	ary	HAZAF	RD SCREENING DATE: 2024-12-16 0:00:07
%: 7.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

#### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2022-11-01 00:00:00

CERTIFIER OR LAB: UL

**EXPIRY DATE:** Environment

**CERTIFICATE URL:** 

https://www.kvadrat.dk/en/products/upholstery/600767-acca

CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date.

**EXPIRY DATE:** 

#### **MULTI-ATTRIBUTE**

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, **Evaluation, Authorization and Restriction of Chemicals** 

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE: 2007-06-01 00:00:00

CERTIFIER OR LAB: None

CERTIFICATE URL: https://echa.europa.eu/

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Test results for Acca: Durability: 50,000 Martindale, EN ISO 12947. Pilling: 3 (ISO 1-5), EN ISO 12945. LightFastness: 5-6 (ISO 1-8), ISO 105-B02. Fire tests: US Cal. Bull. 117-2013 • EN 1021-1/2 • BS 5852 part 1 ignition source 0 • BS 5852 part 1 with treatment • BS 5852 crib 5 with treatment. Fastness to rubbing: 5 (Dry) 4-5 (Wet), ISO 105-X12. Seam slippage: 4 mm (warp), 3 mm (weft).

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Kvadrat A/S ADDRESS: Lundbergsvej 10 Ebeltoft, Syddjurs 8400

COUNTRY: Denmark

WEBSITE: Kvadrat.dk

CONTACT NAME: Line Brændbyge TITLE: Trainee Quality Department

PHONE: **44142296** EMAIL: **libr@kvadrat.org** 

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

