

TFI-Report 25-000572-01

Functional and Quality Testing

Customer	Kvadrat AS Lundbergsvej 10 8400 Ebeltoft DK
Product	Textiler Bodenbelag/Textile floor covering 7162000 = Kelim Coloured Fringes

This report includes 5 pages.



Aachen, 11.08.2025

Cornelia Schiffer
Head of Testing Laboratory



The present document is provided with an advanced electronic signature.

This report only applies to the tested samples and has been established to the best of our knowledge. Only the entire report shall be reproduced. Under no circumstances, extracts shall be used. Furthermore, we apply the "General Terms and Conditions for the Execution of Contracts" of the TFI Aachen GmbH, also with regard to the order execution.

The test result does not include any addition or deduction for uncertainties due to measurement, sample preparation, sample collection and production tolerances.

1 Transaction

Order date 02.07.2025
Your reference Martina Novotná
Product designation 7162000 = Kelim Coloured Fringes

TFI sample number 2500945

Date of sample receipt 08.07.2025

Testing period 23.07.2025 - 29.07.2025

Test order:

Change in appearance according ISO 10361 - Hexapod ^a

a ... Die mit a gekennzeichneten Ergebnisse basieren auf nach EN ISO/IEC 17025 akkreditierten Prüfungen./The reports marked a are based on tests accredited in accordance with EN ISO/IEC 17025.



Responsible at TFI:



Manuela Schönbein
+49 241 9679230
m.schoenbein@tfi-aachen.de

2 Product description

TFI sample number 2500945



Total thickness in mm * ca. 5mm
Total mass per unit area in g/m² * 2000
Type of delivery abgepasst/rug

Sample setup

*Angabe des Auftraggebers/Customer Information



3 Results

Change in appearance median - Shortterm Hexapod	4.5
Change in appearance median - Longterm Hexapod	4


The measurement results are evaluated without consideration of the measurement uncertainty with reference to compliance with limit values, unless otherwise specified by the test standard.

4 Partial Reports

Change in appearance according ISO 10361 - Hexapod



Notified Body
No. 1656



Testing laboratory,
inspection and certification
body recognised by the DIBt
(Deutsches Institut für Bautechnik)



Accredited for the methods indicated in
the partial reports to the DAKkS certificate

TFI Aachen GmbH
Charlottenburger Allee 41
52068 Aachen/Germany
www.tfi-aachen.de

HRB 8157 Aachen
UST-IdNr. DE209411312
Managing Director
Dr. Jacqueline Lemm



Partial Report AV - Changes In Appearance

1 Transaction

TFI sample number 2500945

2 Test Method / Requirements

ISO 10361:2015 Production of changes in appearance by means of Vettermann drum and hexapod tumbler tester

Assessment standard EN ISO 9405:2017

Deviation No individual results of assessors given

Test method method B (Hexapod)

Type of underlay none

Number of assessors 3

Type of vacuum cleaner Vorwerk Kobold VT270 / EB370 with rotating brush

Assessment scale ISO loop

3 Results

Parameter	Short-term wear (4,000 cycles)		Long-term wear (12,000 cycles)	
	Mean value	Median value	Mean value	Median value
Assessment	4.5	4.5	4.0	4.0
Grey Scale	3.8	4	3.0	3
Dominant property	structure, colour		structure, colour	

Comments / special observations: none

