



Gregersensvej DK-2630 Taastrup Tel. +45 72 20 20 00 Fax +45 72 20 20 19

info@teknologisk.dk www.teknologisk.dk

Page 1 of 1 Chf/leln Order no.: 847878 No. of appendices: 1

Assignor:

Kvadrat A/S Lundbergsvej 10 8400 Ebeltoft

Attn.: Lone Henriksen

Subject:

Curtain fabric Melbourne, 100% Trevira CS (as per info from the assigner).

Sampling:

The test material was sampled by the client and received at the Danish Technological In-

stitute 17.12.2018

Method:

See Appendix 1.

Period:

The testing was completed 22.01.2019

Result:

Individual results appear from Appendix 1.

Storage:

The test material will be destroyed after 6 months, unless otherwise agreed.

Terms:

Accredited testing was carried out in compliance with international requirements (EN/ISO/IEC 17025:2005) and in compliance with Danish Technological Institute's General Terms and Conditions regarding Commissioned Work accepted by Danish Technological Institute. The test results apply to the tested products only. This report may be quoted in extract only if the laboratory has granted its written consent.

Date/place:

23.01.2019, Danish Technological Institute, Wood and Biomaterials, Textile, Taastrup

Charlotte Frecher

Charlotte Fischer Ph. Direct: +45 72 20 21 35 E-mail: charlotte.fischer@teknologisk.dk

Signature:

Test responsible

Ph. Direct: +45 72 20 21 36 E-mail: lea.larsen@teknologisk.dk

Co-signatory





Report no.:

A 847878-1

Appendix: Page: Initials:

1

1 of 1 Chf/leIn

| Test Methods | Results | |
|---|-------------------------------|-----|
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | 200 / 208 Colour fastness: | 7 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | 100 / 108 Colour fastness: | 7 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | B8 Colour fastness: | 6-7 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | B19 Colour fastness: | 6-7 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | 500 / \32 Colour fastness: | 6 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | 3 /988 Colour fastness: | 6 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | D3 /238 Colour fastness: | 6-7 |
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | B3 / 168 Colour fastness: | 7 |





DANISH TECHNOLOGICAL

INSTITUTE

Gregersensvej DK-2630 Taastrup Tel. +45 72 20 20 00 Fax +45 72 20 20 19

info@teknologisk.dk www.teknologisk.dk

Page 1 of 1 Chf/leln Order no.: 864233 No. of appendices: 1

Assignor: Kvadrat A/S

Lundbergsvej 10 8400 Ebeltoft

Attn.: Lone Henriksen

LOA

Subject: Yarn samples Melbourne, 100% Trevira CS (as per info from the assigner).

Sampling: The test material was sampled by the client and received at the Danish Technological In-

stitute 25.03.2019

Method: See Appendix 1.

Period: The testing was completed 23.04.2019

Result: Individual results appear from Appendix 1.

The test material will be destroyed after 6 months, unless otherwise agreed. Storage:

Terms: Accredited testing was carried out in compliance with international requirements (EN/ISO/IEC 17025:2005) and in

compliance with Danish Technological Institute's General Terms and Conditions regarding Commissioned Work accepted by Danish Technological Institute. The test results apply to the tested products only. This report may be

quoted in extract only if the laboratory has granted its written consent.

23.04.2019, Danish Technological Institute, Wood and Biomaterials, Textile, Taastrup Date/place:

> Charlotte Frecher Charlotte Fischer Ph. Direct: +45 72 20 21 35 E-mail: charlotte.fischer@teknologisk.dk

Signature: Test responsible Ph. Direct: +45 72 20 21 36 E-mail: lea.larsen@teknologisk.dk

Co-signatory





A 864233-1

Report no.: Appendix: Page: Initials: 1 1 of 1 Chf/leln

| Test Methods | Results | |
|-------------------------------------|-------------------------|---|
| Colour fastness to artificial light | Notte / 18 8 | |
| DS/EN ISO 105:B02:2014 | Colour fastness: | 5 |
| Method 2 | Colour rastriess. | 3 |
| 1-8 scale, 8 best rating | | |
| Normal conditions | | |
| Apparatus: Atlas Ci4000 Xenon | | |
| Weather-Ometer | | |
| Colour fastness to artificial light | Nero / 788 - 988 | |
| DS/EN ISO 105:B02:2014 | Colour fastness: | 5 |
| Method 2 | 00.00.1.000.1000. | J |
| 1-8 scale, 8 best rating | | |
| Normal conditions | | |
| Apparatus: Atlas Ci4000 Xenon | | |
| Weather-Ometer | | |
| Colour fastness to artificial light | Antracite | |
| DS/EN ISO 105:B02:2014 | Colour fastness: | 6 |
| Method 2 | | |
| 1-8 scale, 8 best rating | | |
| Normal conditions | | |
| Apparatus: Atlas Ci4000 Xenon | | |
| Weather-Ometer | | |
| Colour fastness to artificial light | Smeraldo /983 | |
| DS/EN ISO 105:B02:2014 | Colour fastness: | 6 |
| Method 2 | | |
| 1-8 scale, 8 best rating | | |
| Normal conditions | | |
| Apparatus: Atlas Ci4000 Xenon | | |
| Weather-Ometer | | |





Gregersensvej DK-2630 Taastrup Tel. +45 72 20 20 00 Fax +45 72 20 20 19

> info@teknologisk.dk www.teknologisk.dk

> > Page 1 of 1

Order no.: 868626

No. of appendices: 1

Chf/leln

Assignor: Kvadrat A/S

Lundbergsvej 10 8400 Ebeltoft

Attn.: Lone Henriksen

Subject: Yarn sample Melbourne, blue/788, 100% Trevira CS (as per info from the assigner).

Sampling: The test material was sampled by the client and received at the Danish Technological In-

stitute 24.04.2019

Method: See Appendix 1.

Period: The testing was completed 14.05.2019

Result: Individual results appear from Appendix 1.

The test material will be destroyed after 6 months, unless otherwise agreed. Storage:

The accredited test was carried out according to DANAK's general conditions see www.danak.dk and according to Terms:

the General Terms and Conditions regarding Commissioned Work Accepted by the Danish Technological Institute, which apply at the time of signing the agreement. The test is only valid for the tested specimen. The test report

may only be extracted, if the laboratory has approved the extract.

Date/place: 16.05.2019, Danish Technological Institute, Wood and Biomaterials, Textile, Taastrup

Chailotte Frecher

Charlotte Fischer Ph. Direct: +45 72 20 21 35 E-mail: charlotte.fischer@teknologisk.dk

Signature: Test responsible Lea Larsen

Ph. Direct: +45 72 20 21 36 E-mail: leln@teknologisk.dk Co-signatory







Report no.:

A 868626-1

1

Appendix: Page: Initials:

1 of 1 Chf/leln

| Test Methods | Results | |
|--|-----------------------|---|
| Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 | Colour fastness: '788 | 6 |
| 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer | | |