

## Investigation report

**SAHCO GmbH**  
Frau Kemmerer  
Kreuzburger Str. 17-19  
  
90471 Nürnberg

DELCOTEX  
Delius Techtex GmbH & Co. KG  
Vilsendorfer Str. 50  
33739 Bielefeld  
Germany

Homepage: [www.textillabor.eu](http://www.textillabor.eu)

Contact: Erik Radl  
Division: Laboratory  
Phone: +49 (0) 52 06 / 91 07 - 57  
Fax: +49 (0) 52 06 / 91 07 - 34

Date: 22.11.20189

### Investigation report No. 18-E-581

Order description: Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)  
Colour fastness to artificial light: Xenon arc fading lamp  
DIN EN ISO 105-B02 (2014-11)

Test samples: Proof 2766

Sampling: by orderer

Orderer: see address

Date of order: 16.10.2018

Date of delivery: 18.10.2018

Date of testing: 21.11.2018

Number of pages: 8

#### Remark:

The results are valid only for the tested object. The accreditation applies for the methods listed in the annex to the certificate D-PL-17323-01-00. Accredited test methods are underlined. The valuations and Interpretations in the investigation report are not subject to accreditation. Tests conducted through co-operation partners are marked with °. The content of this investigation report will not be passed to third persons without written approval of the orderer. The partial publication of the test report, as well as the usage for commercial process, is only allowed with a permission of the DELCOTEX Delius Techtex GmbH & Co. KG.

Remnants of test material will be destroyed after 3 months. Previously stated specifications / data sheets / certificates are only characters and no warranties. Also no warranty in case of durability will be overtaken. Finally our general delivery and payment conditions are valid (please see [www.textillabor.eu](http://www.textillabor.eu)).

## Investigation report No. 18-E-581

page 2 of 8

### Instructions for performing

**1. Method:** **Colour fastness to artificial light: Xenon arc fading lamp**  
**DIN EN ISO 105-B02 (2014-11)**

**2. Measuring conditions:**

Tester: Atlas Xenotest alpha LM  
 Light: Xenon arc beam  
 Filtering system: Typ 7  
 Pick and placement cycling: 170 h – until Mark 6

### Test results

Sample / Colour	Mark*
Proof, 2766-01, 100% PAN	6
Proof, 2766-02, 100% PAN	5-6
Proof, 2766-03, 100% PAN	5
Proof, 2766-04, 100% PAN	6
Proof, 2766-05, 100% PAN	5-6
Proof, 2766-06, 100% PAN	5-6
Proof, 2766-07, 100% PAN	5-6
Proof, 2766-08, 100% PAN	>6
Proof, 2766-09, 100% PAN	6
Proof, 2766-10, 100% PAN	6
Proof, 2766-11, 100% PAN	6
Proof, 2766-12, 100% PAN	5-6
Proof, 2766-13, 100% PAN	5-6
Proof, 2766-14, 100% PAN	6

\* The results based on using the blue scale.

Note 1 = intense colour change

Note 8 = no colour change

## Investigation report No. 18-E-581

page 3 of 8

### Test results

<b>Sample / Colour</b>	<b>Mark*</b>
<b>Proof, 2766-15, 100% PAN</b>	<b>&gt;6</b>
<b>Proof, 2766-16, 100% PAN</b>	<b>&gt;6</b>
<b>Proof, 2766-17, 100% PAN</b>	<b>&gt;6</b>
<b>Proof, 2766-18, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-19, 100% PAN</b>	<b>5-6</b>
<b>Proof, 2766-20, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-21, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-22, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-23, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-24, 100% PAN</b>	<b>5-6</b>
<b>Proof, 2766-25, 100% PAN</b>	<b>5-6</b>
<b>Proof, 2766-26, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-27, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-28, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-29, 100% PAN</b>	<b>6</b>
<b>Proof, 2766-30, 100% PAN</b>	<b>5-6</b>

\* The results based on using the blue scale.  
Note 1 = intense colour change  
Note 8 = no colour change

## Investigation report No. 18-E-581

page 4 of 8

### Instructions for performing

#### 3. method: Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

#### 4. Measuring conditions

tester:	Crockmeter
pin:	Ø (16+/-0,1) mm (cylinder)
abrasive:	cotton fabric
strength:	9 +/- 0,2 N
room temperature:	20 +/- 2 °C
humidity:	65 +/- 4 %
conditioned:	>4 h
water absorption:	96,77% - 100,0%

### Test results

Article: **Proof, 2766, 100% PAN**

<b>Proof, 2766-01</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-02</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-03</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-04</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

Investigation report No. 18-E-581

Test results

Proof, 2766-05	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

Proof, 2766-06	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

Proof, 2766-07	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

Proof, 2766-08	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

Proof, 2766-09	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

Proof, 2766-10	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

Proof, 2766-11	Warp	Weft
Dry-Mark *	4-5	4-5
Wet-Mark *	4-5	4-5

## Investigation report No. 18-E-581

page 6 of 8

## Test results

<b>Proof, 2766-12</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-13</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-14</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-15</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-16</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-17</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-18</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

## Investigation report No. 18-E-581

page 7 of 8

## Test results

<b>Proof, 2766-19</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-20</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-21</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-22</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-23</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-24</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-25</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

## Investigation report No. 18-E-581

page 8 of 8

## Test results

<b>Proof, 2766-26</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-27</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-28</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

<b>Proof, 2766-29</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>


  

<b>Proof, 2766-30</b>	<b>Warp</b>	<b>Weft</b>
<b>Dry-Mark *</b>	<b>4-5</b>	<b>4-5</b>
<b>Wet-Mark *</b>	<b>4-5</b>	<b>4-5</b>

\* The results based on using the grey scale – ISO 105-A03.

Note 1 = intense colour change

Note 5 = no colour change



i. A. Erik Radl

Laboratory

DELCOTEX Delius Techtex GmbH & Co. KG

Als verbindlich gelten nur die Angaben im unterzeichneten Prüfbericht.



# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to artificial light: Xenon arc fading lamp  
DIN EN ISO 105-B02 (2014-11) method 2



**Sample 1: 2766 – 01: 6**  
**Sample 2: 2766 – 02: 5-6**  
**Sample 3: 2766 – 03: 5**  
**Sample 4: 2766 – 04: 6**  
**Sample 5: 2766 – 05: 5-6**  
**Sample 6: 2766 – 06: 5-6**

**Sample 7: 2766 – 07: 5-6**  
**Sample 8: 2766 – 08: >6**  
**Sample 9: 2766 – 09: 6**  
**Sample 10: 2766 – 10: 6**  
**Sample 11: 2766 – 11: 6**  
**Sample 12: 2766 – 12: 5-6**

**Sample 13: 2766-13: 5-6**  
**Sample 14: 2766-14: 6**  
**Sample 15: 2766-15: >6**  
**Sample 16: 2766-16: >6**  
**Sample 17: 2766-17: >6**  
**Sample 18: 2766-18: 6**

\*The end mark refers to the change of colour using the blue scale.  
 Note 1 = very low colour fastness / strong change in colour  
 Note 8 = very high colour fastness / no change in colour

## Investigation report No. 18-E-581

### Appendix

**Method:**

**Colour fastness to artificial light: Xenon arc fading lamp**  
**DIN EN ISO 105-B02 (2014-11) method 2**



- ✓ **Sample 19: 2766 – 19: 5-6**
- Sample 20: 2766 – 20: 6**
- ✓ **Sample 21: 2766 – 21: 6**
- Sample 22: 2766 – 22: 6**
- Sample 23: 2766 – 23: 6**
- Sample 24: 2766 – 24: 5-6**

- Sample 25: 2766 – 25: 5-6**
- Sample 26: 2766 – 26: 6**
- Sample 27: 2766 – 27: 6**
- Sample 28: 2766 – 28: 6**
- Sample 29: 2766 – 29: 6**
- Sample 30: 2766 – 30: 5-6**

\*The end mark refers to the change of colour using the blue scale.  
Note 1 = very low colour fastness / strong change in colour  
Note 8 = very high colour fastness / no change in colour


Investigation report No. 18-E-581

Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-01, 100% PAN  
**warp**

dry



Mark\* 4-5


wet



Mark\* 4-5

**weft**

dry



Mark\* 4-5

wet



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581


## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-02, 100% PAN**  
**warp**

**dry**

**wet**




Mark\* 4-5

Mark\* 4-5

**weft**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-03, 100% PAN  
**warp**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

**weft**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change


# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-04, 100% PAN  
**warp**

**dry**



**Mark\* 4.5**


**wet**



**Mark\* 4.5**

**weft**

**dry**



**Mark\* 4.5**

**wet**



**Mark\* 4.5**

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change


## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-05, 100% PAN  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-06, 100% PAN**  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change



# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-07, 100% PAN  
**warp**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**


**weft**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-08, 100% PAN  
**warp**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

**weft**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-09, 100% PAN**  
**warp**

**dry**

**wet**

$K_d$

$K_n$

Mark\* 4-5

Mark\* 4-5

**weft**

**dry**

**wet**

$S_d$

$S_n$

Mark\* 4-5

Mark\* 4-5

\* The results based on using the gray scale.

Note 1 = intense colour change

Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-10, 100% PAN**  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-11, 100% PAN  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-12, 100% PAN  
**warp**

**dry**



Mark\* 4-5


**wet**



Mark\* 4-5


**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.

Note 1 = intense colour change

Note 5 = no colour change


## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-13, 100% PAN  
**warp**

**dry**



Mark\* 4-5


**wet**



Mark\* 4-5


**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581


## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-14, 100% PAN**  
**warp**

**dry**

**wet**



**Mark\*** 4.5

**Mark\*** 4.5

**weft**

**dry**

**wet**



**Mark\*** 4.5

**Mark\*** 4.5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change



## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** **Proof, 2766-15, 100% PAN**  
**warp**

**dry**



Mark\* 4-5


**wet**



Mark\* 4-5


**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** **Proof, 2766-16, 100% PAN**  
**warp**

**dry**



Mark\* 4-5


**wet**



Mark\* 4-5


**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.

Note 1 = intense colour change

Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-17, 100% PAN  
**warp**

**dry**



**Mark\* 4-5**


**wet**



**Mark\* 4-5**

**weft**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** **Proof, 2766-18, 100% PAN**  
**warp**

**dry**



Mark\* 4-5


**wet**



Mark\* 4-5


**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-19, 100% PAN  
**warp**

**dry**



Mark\* 4-5


**wet**



Mark\* 4-5


**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change


## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-20, 100% PAN  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-21, 100% PAN  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-22, 100% PAN  
**warp**

**dry**

**wet**

  
K<sub>+</sub>



  
K<sub>n</sub>



Mark\* 4-5

Mark\* 4-5

**weft**

**dry**

**wet**

  
S<sub>+</sub>



  
S<sub>n</sub>



Mark\* 4-5

Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change



## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-23, 100% PAN  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.

Note 1 = intense colour change

Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)


**Article:** Proof, 2766-24, 100% PAN  
**warp**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

**weft**

**dry**



**Mark\* 4-5**

**wet**



**Mark\* 4-5**

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change


## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-25, 100% PAN  
**warp**

**dry**



Mark\* 4.5

**wet**



Mark\* 4.5


**weft**

**dry**



Mark\* 4.5

**wet**



Mark\* 4.5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-26, 100% PAN**  
**warp**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

**weft**

**dry**



Mark\* 4-5

**wet**



Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-27, 100% PAN  
**warp**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

**weft**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

## Investigation report No. 18-E-581

### Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** Proof, 2766-28, 100% PAN  
**warp**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

**weft**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-29, 100% PAN**  
**warp**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

**weft**

**dry**

**wet**



Mark\* 4-5

Mark\* 4-5

\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change

# Investigation report No. 18-E-581

## Appendix

**Method:** Colour fastness to rubbing DIN EN ISO 105-X12 (2016-11)

**Article:** **Proof, 2766-30, 100% PAN**  
**warp**

**dry**


**wet**



**weft**

**dry**

**wet**



\* The results based on using the gray scale.  
Note 1 = intense colour change  
Note 5 = no colour change