

Assignor:

Report No.: A 885066-1 Revised

Kvadrat A/S

8400 Ebeltoft

Lundbergsvej 10,

Attn.: Lone Henriksen



Gregersensvej DK-2630 Taastrup Tel. +45 72 20 20 00 Fax +45 72 20 20 19

info@teknologisk.dk www.teknologisk.dk

Page 1 of 1 Chf/leln Order no.: 885066 No. of appendices: 1

- **Subject:** Curtain fabric Maya, 100% Trevira CS (as per info from the assigner).
- **Sampling:** The test material was sampled by the client and received at the Danish Technological Institute 21.08.2019
- Method: See Appendix 1.
- Period: The testing was completed 20.09.2019
- **Result:** Individual results appear from Appendix 1.
- **Storage:** The test material will be destroyed after 6 months, unless otherwise agreed.
- **Terms:** The accredited test was carried out according to DANAK's general conditions see <u>www.danak.dk</u> and according to the General Terms and Conditions regarding Commissioned Work Accepted by the Danish Technological Institute, which apply at the time of signing the agreement. The test is only valid for the tested specimen. The test report may only be extracted, if the laboratory has approved the extract.

Date/place: 04.12.2019, Danish Technological Institute, Wood and Biomaterials, Textile, Taastrup

Signature:

Test responsible

Co-signatory



re-

Report no.:	A 885066-1 vised	
Appendix:	1	
Page:	1 of 4	
Initials:	Chf/leIn	

Test Methods	Results	
Colour fastness to artificial light	429	
DS/EN ISO 105:B02:2014 Method 2	Colour fastness:	7
1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer	619 Colour fastness:	7
Colour fastness to artificial light	3-A0	
DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	4-A0 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	229 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon	6-A0 Colour fastness:	7
Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2	379 Colour fastness:	7
1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	8-A0 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		

Report no.:	A 885066-1 re- vised
Appendix:	1
Page:	2 of 4
Initials:	Chf/leln

Results	
0.40	
9-A0	7
Colour fastness:	7
219	
Colour fastness:	7
	_
Colour fastness:	7
12-00	
	7
	,
13-A0	
Colour fastness:	7
22.40	
-	7
	7
23-A0	
	7
	-
Colour fastness:	7
	219 Colour fastness: 119 Colour fastness: 12-A0 Colour fastness: 13-A0 Colour fastness: 22-A0 Colour fastness: 23-A0 Colour fastness:

A 885066-1 re- vised
1
3 of 4
Chf/leln

Tost Mothods	Results	
Test Methods		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2	139 Colour fastness:	7
1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon		
Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	149 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	16-A0 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	129 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions	18-A0 Colour fastness:	7
Apparatus: Atlas Ci4000 Xenon Weather-Ometer Colour fastness to artificial light	949	
DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating Normal conditions Apparatus: Atlas Ci4000 Xenon	Colour fastness:	7
Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	20-A0 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		
Colour fastness to artificial light DS/EN ISO 105:B02:2014 Method 2 1-8 scale, 8 best rating	21-A0 Colour fastness:	7
Normal conditions Apparatus: Atlas Ci4000 Xenon Weather-Ometer		

Report no.:	A 885066-1 re- vised
Appendix:	1
Page:	4 of 4
Initials:	Chf/leln

Test Methods	Results	
Colour fastness to artificial light	199	
DS/EN ISO 105:B02:2014	Colour fastness:	7
Method 2		
1-8 scale, 8 best rating		
Normal conditions		
Apparatus: Atlas Ci4000 Xenon		
Weather-Ometer		