

HPD UNIQUE IDENTIFIER: 31426

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Ecriture is an upholstery textile used for interior and design.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
	<input type="radio"/> Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
Threshold Disclosed Per		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material			<i>Provided name and CAS RN or other identifier.</i>
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

ECRITURE BY SAHCO [**ACRYLIC POLYMER** **NoGS** **POLYETHYLENE TEREPHTHALATE (PET)** **LT-P1** **CELLULOSE, MICROCRYSTALLINE** **LT-UNK** **RES LINEN COTTON**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-02-20

PUBLISHED DATE: 2023-02-20

EXPIRY DATE: 2026-02-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ECRITURE BY SAHCO

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications:

<https://www.kvadrat.dk/en/products/upholstery/600751-ecriture>

ACRYLIC POLYMER

ID: 9063-87-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-20 2:14:33

%: 40.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	------------------------------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	----------------------------------------------

SUBSTANCE NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-20 2:14:33

%: 27.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	------------------------------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	----------------------------------------------

SUBSTANCE NOTES:

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

%: **18.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The composition is 18% viscose. Cellulose as main component of the fiber itself is not combined with any hazards. Due to the CAS no. a potential hazard is noted in the generic data system. This fiber has not been classified as a hazardous substance in accordance with EC regulations. To date, proper use of this fiber product has not been associated with specific or any detrimental effects on health.

LINENID: **Biological Material**HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **9.0000** GreenScreen: **Not Required** RC: **None** NANO: **No** MATERIAL ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: **Plant-based materials**INGREDIENT DESCRIPTION: **Linen**

MATERIAL CONTENT NOTES: Linen cannot be identified by CAS RN# as it has none

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

COTTONID: **Biological Material**HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **6.0000** GreenScreen: **Not Required** RC: **None** NANO: **No** MATERIAL ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: **Plant-based materials**INGREDIENT DESCRIPTION: **Cotton**

MATERIAL CONTENT NOTES: Cotton cannot be identified by CAS RN# as it has none

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://www.kvadrat.dk/en/products/upholstery/600751-ecriture	ISSUE DATE: 2021-10-25 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date.		
MULTI-ATTRIBUTE	REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: https://echa.europa.eu/ CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2007-06-01 EXPIRY DATE:	CERTIFIER OR LAB: None

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Test results for Ecriture: DURABILITY: 70,000 Martindale. PILLING: 4-5 (ISO 1-5). LIGHTFASTNESS: 6. FIRE TESTS: EN 1021-1/2, BS 5852 part 1, US Cal. Bull. 117-2013, BS 5852 crib 5 with treatment. FASTNESS TO RUBBING: 4-5 (Dry) 3-4 (Wet). SEAM SLIPPAGE: 2 mm (warp), 2 mm (weft)

MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat A/S
ADDRESS: Lundbergsvej 10
 Ebeltoft Syddjurs 8400, Denmark
WEBSITE: <https://www.kvadrat.dk/en>

CONTACT NAME: Johanne Villumsen
TITLE: Project Manager
PHONE: +45 89531993
EMAIL: jovi@kvadrat.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.