




Test Report no. A 708174-1

Gregersensvej
DK-2630 Taastrup
Tel. +45 72 20 20 00
Fax +45 72 20 20 19

info@teknologisk.dk
www.teknologisk.dk

Kvadrat Holding A/S, Lundbergsvej 10, 8400 Ebeltoft	
Test material: Upholstery fabric	
Design: Floyd Screen	Received: 14-07-2016 Completed: 27-07-2016
Fibre content: 45% New wool, 50% Polyester, 5% Nylon, worsted (Manufacturer's information)	Sample no.: 708174-1
Care label: (Not given)	Your ref.: Lone Henriksen

Test Methods	Results
Abrasion resistance - Martindale Part 2: Determination of specimen breakdown DS/EN ISO 12947-2:1999 Technical Corrigendum 1:2002/AC:2007 Mass: 795 g Nominal pressure: 12 kPa Breakdown point: Two broken threads Test conditions: 21°C, 65%RH	Mean: 41 500 rubs Individual results: 45 000 - 40 000 - 40 000 rubs

Test Report no. A 708174-1

Test Methods	Results		
Determination of fabric propensity to surface fuzzing and to pilling DS/EN ISO 12945-2:2000 Modified Martindale method 1-5 scale, 5 best rating Number of test specimens: 3 Number of observers: 2 Pre-treatment: none Abradant: Wool abradant fabric Loading mass: 415 g Test conditions: 21°C, 65%RH	<u>Assessment stage</u>	<u>Number of rubs</u>	<u>Pilling grade</u>
	1	500	4
	2	1000	4
	3	2000	3-4
	4	5000	3-4
	Final grade		3-4
	The final grading at 2000 rubs relates to fuzzing and pilling		

The test has been performed according to the attached conditions, which are according to the guidelines laid down by DANAK (The Danish Accreditation). The testing is only valid for the tested specimen. The test report may only be extracted, if the laboratory has approved the extract.

This report was generated by software version 2.46 of 2014-04-26.

27 July 2016, Danish Technological Institute, Textile

Test responsible

Co-reader

The general conditions pertaining to assignments accepted by Danish Technological Institute shall apply in full to the technical testing and calibration at Danish Technological Institute and to the completion of test reports and calibration certificates within the relevant field.

Danish Accreditation (DANAK)

DANAK was established in 1991 in pursuance of the Danish Act No. 394 of 13 June 1990 on the promotion of Trade and Industry.

The requirements to be met by accredited laboratories are laid down in the "Danish Agency for Trade and Industry's ("Erhvervsfremme Styrelsens") Statutory Order on accreditation of laboratories to perform testing etc. and GLP inspection. The statutory order refers to other documents, where the criteria for accreditation are specified further.

The standards DS/EN ISO/IEC 17025 "General requirements for the competence of testing and calibration laboratories" and DS/EN 45002 "General criteria for the assessment of testing laboratories" describe fundamental criteria for accreditation. DANAK uses guidance documents to clarify the requirements in the standards, where this is considered to be necessary. These will mainly be drawn up by the "European co-operation of Accreditation (EA)" or the "International Laboratory Accreditation Co-operation (ILAC)" with the purpose of obtaining uniform criteria for accreditation. In addition, DANAK draws up Technical Regulations with specific requirements for accreditation that are not contained in the standards.

In order for a laboratory to be accredited it is, among other things, required:

- that the laboratory and its personnel are not subject to any commercial, financial or other pressures, which might influence their technical judgement

- that the laboratory operates a documented quality system
- that the laboratory has at its disposal all items of equipment, facilities and premises required for correct performance of the service that it is accredited to perform
- that the laboratory management and personnel have technical competence and practical experience in performing the service that they are accredited to perform
- that the laboratory has procedures for traceability and uncertainty calculations
- that accredited testing or calibration is performed in accordance with fully validated and documented methods
- that the laboratory keeps records, which contain sufficient information to permit repetition of the accredited test or calibration
- that the laboratory is subject to surveillance by DANAK on a regular basis
- that the laboratory shall take out an insurance, which covers liability in connection with the performance of accredited services

Reports carrying DANAK's logo are used, when reporting accredited services and show that these have been performed in accordance with the rules for accreditation.