## Atrium Outdoor by Kvadrat A/S

HPD UNIQUE IDENTIFIER: 30537 CLASSIFICATION: 12 05 13 Fabrics PRODUCT DESCRIPTION: Atrium Outdoor is an upholstery textile used for interior and design.

# Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

CONTENT INVENTORY													
Inventory Reporting Format	Threshold Level © 100 ppm	Residuals/Impurities I	Evaluation	<i>For all contents above the thresh</i> Characterized	old, the manufacturer has: ⊙ Yes ⊜ No								
<ul><li>C Nested Materials Method</li><li>C Basic Method</li></ul>	<ul><li>1,000 ppm</li><li>Per GHS SDS</li></ul>	<ul><li>Partially Completed</li><li>Not Completed</li></ul>		Provided weight and role. Screened	⊙ Yes ⊖ No								
Threshold Disclosed Per	C Other	Explanation(s) provide	ed :	<i>Provided screening results using methods.</i> Identified	<i>HPDC-approved</i> ⊙ Yes ⊜ No								
Product				Provided name and CAS RN or o	ther identifier.								
CONTENT IN DESCENDING O	RDER OF QUANTIT	Υ	Number of	f Greenscreen BM-4/BM3 contents	· 0								
Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details. PRODUCT   MATERIAL OR SUBSTANCE   <i>RESIDUAL OR IMPURITY</i> GREENSCREEN SCORE   HAZARD TYPE ATRIUM OUTDOOR [ POLYETHYLENE TEREPHTHALATE (PET) LT-P1 ]				Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) LT-P1 Nanomaterial No INVENTORY AND SCREENING NOTES: As Atrium outdoor is an outdoor fabric a water repellent has been applied on the fabric. The water repellent is fluorocarbon free. Complies with REACH.									
								VOLATILE ORGANIC COMPO VOC Content data is not applic			<i>listings.</i> VOC emiss Multi-attril	ATIONS AND COMPLIANCE See S sions: UL/GreenGuard Gold Certifie bute: REACH European Union Regu g the Registration, Evaluation, Auth als	ed ulation (EC) 1907/2006
											CONSISTI	ENCY WITH OTHER PROGRAMS	
				ed for LEED v4 Option 1.									
				ed for LEED v4 Option 2. ed for LEED v4.1 Option 1.									
Third Party Verified?		PREPARER: Self-Prep	pared	SCREENING DATE: 20									

.

PREPARER: Self-Prepare VERIFIER: VERIFICATION #: SCREENING DATE: 2022-11-03 PUBLISHED DATE: 2022-11-03 EXPIRY DATE: 2025-11-03 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### **ATRIUM OUTDOOR**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: At Kvadrat A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and the textile is produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The textile complies with legal requirements such as REACH and POP Regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications: https://www.kvadrat.dk/en/products/upholstery/1358-atrium-outdoor

POLYETHYLENE TEREPH	ITHALATE (PET)			ID: 25038-59-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2022-11-03 3:39:24
%: 100.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No wai	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition is 100% Trevira CS polyester yarns. The yarn is inherently flame retardant as a phosphor-organic compound is integrated in the yarn

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://www.kvadrat.dk/en/products/upholstery/1358- atrium-outdoor	ISSUE DATE: 2021-01-13 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: As the G	Greenguard certification is renewed annually t	here has not been set an expiry date.
MULTI-ATTRIBUTE	REACH European Union Regulation ( Evaluation, Authorization and Restric	EC) 1907/2006 concerning the Registration, ation of Chemicals
MULTI-ATTRIBUTE CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: https://echa.europa.eu/ CERTIFICATION AND COMPLIANCE NOTES:		

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Test results for Atrium outdoor: DURABILITY: 50,000 Martindale. PILLING: 5 (ISO 1-5). LIGHTFASTNESS: 6-7. FIRE TESTS: AS/NZS 3837 class 1 • ASTM E84 Class A Unadhered • ASTM E84 Class B Adhered • BS 5852 Crib 5 • BS 5867 part 2 type B • DIN 4102 B1 • EN 1021-1/2 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NF P 92 507 M1 • NFPA 701 • ÖNORM B1/Q1 • SN 198 898 5.2 • UNI 9175 1IM • UNI 9177 Classe 1 • JIS L 1091 A-1 D • CAN ULC S102 • CAN ULC S109 • US Cal. Bull. 117-2013. FASTNESS TO RUBBING: 5 (Dry) 5 (Wet)

### MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat A/S ADDRESS: Lundbergsvej 10 Ebeltoft Ebeltoft 8400, Denmark WEBSITE: https://www.kvadrat.dk/en CONTACT NAME: Johanne Villumsen TITLE: Project Manager Test & Sourcing PHONE: +4589531993 EMAIL: jovi@kvadrat.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.